



# Jamco Products

Your Source for All-Welded Carts, Flammable Safety Cabinets, Platform Trucks, Cabinets, Workbenches, Tables and more!



*Our Quality Serves You Longer*

2021 Catalog

**Jamco's all welded construction is extra heavy duty for durability of the products used to store or transport materials such as mobile and fixed workstations, transporters and storage cabinets. Our products will outlast and outperform bolt-together and lighter gauge welded products many times over.**

Increase your productivity and safety! Jamco offers load-tested, durable products for longer lasting service, and versatility for economical acquisition and low cost maintenance.

**Best Quality Available:**

- All-welded steel construction
- All casters are bolt on for easy replacement and upgrade, without replacing the complete unit
- All items are brick static load tested to ensure capacity accuracy and are mig/tig and/or spot welded for industrial use
- Durable, powder coated finish on all steel products

**Large Selection:**

- Carts and Trucks – 12-gauge shelves
- Platform Trucks – 12-gauge decks
- Safety Cabinets – 14-gauge door fronts and weld hinges
- Storage Cabinets – 12 and 14-gauge all-welded cabinets
- Workbenches – 12-gauge with risers, drawers, and more
- Work Tables – up to 1/4" plate and 16,000 lb capacities

**Superior Service:**

- Quick Response – hands-on, knowledgeable customer service personnel are available via phone or email
- All products sold through major national distributors

- Most items are packaged on skids (unless otherwise noted). Add 60 lbs. to model weight to get shipping weight
- Ship location is located in South Beloit, IL 61080
- All products are *Proudly Made In the USA* by Jamco Products



## Alphabetical Index of Catalog Models


<b>A</b>	CS ..... 56	ET..... 31	LC..... 63	<b>P</b>	SN ..... 66	VC ..... 44	XW..... 77
AB ..... 61	CT ..... 58	<b>F</b>	LG ..... 28	PA..... 61	SO ..... 37	VD ..... 45	XY ..... 83
AE ..... 61	CV ..... 15	FK..... 12	LH ..... 27	PB ..... 50	SR..... 65	VO ..... 77	XZ ..... 84
AS ..... 48	CW..... 15	FL..... 12	LK..... 64	PC ..... 57	SS..... 29	VR ..... 45	<b>Y</b>
<b>B</b>	CZ ..... 40	FM ..... 6	LN ..... 33	PF..... 55	ST..... 65	<b>W</b>	YB ..... 84
BA ..... 7	<b>D</b>	FS..... 6	LO ..... 37	PG ..... 54	SV..... 65	WA..... 73	YE ..... 76
BC ..... 52	DD..... 41	FW..... 64	LR..... 30	PJ ..... 50	SW..... 30	WB..... 71	YG ..... 77
BJ ..... 7	DE ..... 21	FX..... 48	LS..... 34	PN ..... 46	SX ..... 29	WC..... 73	YM..... 85
BK ..... 8	DF ..... 21	<b>G</b>	LT ..... 32	PR ..... 49	SY..... 48	WD ..... 70	YR ..... 78
BL..... 52	DG..... 56	GD..... 53	LV..... 62	PS..... 49	<b>T</b>	WF..... 70	YV ..... 79
BM..... 5	DJ..... 18	GL ..... 53	LW..... 63	PT..... 46	TA..... 54	WG ..... 70	YW..... 78
BN ..... 10	DL ..... 17	GX ..... 53	LX..... 62	PU ..... 46	TF..... 55	WJ ..... 23	YX ..... 79
BP ..... 10	DM..... 18	<b>H</b>	<b>M</b>	PW..... 47	TG ..... 55	WK..... 72	YY ..... 79
BR ..... 14	DN..... 22	HY ..... 20	ME..... 17	PX ..... 47	TL..... 59	WL..... 69	YZ ..... 78
BS..... 5	DO..... 38	<b>J</b>	MF..... 16	PZ..... 47	TO ..... 51	WM ..... 69	<b>Z</b>
BT..... 8	DP ..... 21	JE..... 24	MG..... 17	<b>R</b>	TP..... 58	WN ..... 69	ZA ..... 42
BU ..... 9	DS ..... 18	JF..... 24	MH..... 16	RA ..... 60	TS..... 57	WP..... 23	ZB ..... 42
BV ..... 13	DT ..... 22	JH..... 25	MJ ..... 16	RB ..... 60	TV ..... 51	WR..... 74	ZC ..... 43
BW..... 13	DX ..... 22	JK..... 23	MK..... 19	RC ..... 14	TY ..... 55	WS..... 68	ZD ..... 43
BY ..... 9	DZ ..... 21	JL..... 23	ML..... 19	RE..... 59	<b>U</b>	WT..... 74	ZE..... 80
<b>C</b>	<b>E</b>	JN..... 25	MR..... 67	<b>S</b>	UA ..... 71	WV..... 68	ZF..... 80
CA ..... 15	EC ..... 40	JS..... 23	MS..... 19	SA ..... 26	UG ..... 70	WW..... 74	ZH ..... 81
CC ..... 37	ED ..... 40	<b>K</b>	MW ..... 67	SB..... 26	UJ..... 72	WX..... 73	ZJ..... 81
CD ..... 39	EF..... 32	KB ..... 41	MX..... 67	SC ..... 27	UK ..... 76	WY..... 73	ZL..... 81
CE ..... 39	EG ..... 32	KE..... 75	<b>N</b>	SD ..... 27	UL ..... 77	<b>X</b>	ZP ..... 76
CF ..... 39	EK..... 34	KF..... 75	NC..... 36	SE..... 26	UM..... 72	XA ..... 82	ZR ..... 43
CH ..... 15	EM..... 49	KG ..... 75	ND..... 36	SF..... 28	UN..... 72	XB ..... 82	ZU ..... 76
CK ..... 11	EN ..... 31	KS..... 75	NE..... 36	SG ..... 35	UP ..... 58	XK ..... 83	ZV ..... 76
CL..... 11	EO ..... 38	<b>L</b>	NF..... 50	SH ..... 35	<b>V</b>	XL..... 84	ZX ..... 82
CO ..... 38	ER..... 31	LA ..... 62	NT..... 33	SL..... 29	VA ..... 44	XP ..... 85	
CP ..... 56	ES..... 30	LB..... 63	NV ..... 28	SM..... 66	VB ..... 44	XT ..... 83	

<b>STEEL SAFETY CABINETS</b>	Flammable Safety Cabinets	4-9
	Paint & Ink, Corrosives, Pesticides Storage Cabinets	10-12
	Cabinets for 55-Gallon Drums	13
	Hazardous Materials Cabinets : Fire Resistant Cabinets	14
	Gas Cylinder Storage Cabinets	15
<b>STEEL STORAGE CABINETS</b>	Steel Storage Cabinets - Solid and Mesh	16-19
	Steel Storage Cabinets with Bins	20-22
	Steel Security Cabinets - 33" High	23
	Mobile Cabinets	24-25
<b>STEEL CARTS</b>	Service Carts : Utility Carts	26-35
	Stock Trucks : Order Picking Carts	36-41
	Multi Shelf 3-Sided Stock Trucks	42-43
	Multi Shelf Mesh Security Trucks	44-45
<b>PLATFORM TRUCKS</b>	Platform Trucks	46-50
	Wagons : Box Trucks	51-53
<b>SPECIALTY RACKS &amp; TRUCKS</b>	Panel Trucks : Upright Panel Movers : Removable Tray Trucks	54-57
	Bar and Pipe Trucks : Racks for Bins or Totes : Mobile Louvered Racks	58-60
<b>HIGH-TECH</b>	Instrument Carts : Instrument Platform Trucks	61
<b>TABLES</b>	Mobile Tables : Mobile Work Centers : Mobile Workbenches	62-67
	Work Stands : Shelving Units : Work Tables : Workbenches	68-74
<b>STAINLESS STEEL</b>	Stainless Steel Wall & Floor Cabinets	75-76
	Stainless Steel Workbenches & Work Stands	76-78
	Stainless Steel Mobile Cabinets	78-80
	Stainless Steel Utility Carts	80-84
	Stainless Steel Transfer Carts : Stainless Steel Platform Trucks	85
<b>CASTERS</b>	Casters : Caster Selection Guide	86-87

## Jamco Heavy Duty Safety Cabinet Features

*More steel than other brands; FM Approved*

14-gauge doors are 56% more steel than 18-gauge of others, superior weld hinges with brass pins give greater support. Doors have flush handles. Features our patented flame arrester vents. Meets OSHA, NFPA code 30, UFC 79 standards, and are FM APPROVED. Powder Coated Yellow (Flammable), Red (Paint and Ink), Blue (Corrosive), Green (Pesticides) and Gray (Hazardous Waste).



- 1. Exclusive gas cylinder, self close mechanism; fully concealed, no rods to bend or break
- 2. Flush mounted paddle handle
- 3. Twin flame arrester vents (*Jamco Patent No. 10,463,896*)
- 4. 4" Heavy duty weld hinge with 3/8" brass pin
- 5. Grounding connector
- 6. Lead fusible link
- 7. Adjustable leveling feet

- 8. 2" leakproof sill for spill containment
- 9. 16-gauge louvered shelf supports to adjust shelves on 3" centers
- 10. 3-point locking system
- 11. Rounded safety corners on doors
- 12. Safety signage in large red lettering
- 13. Heavy duty 14-gauge door

## Model BM

Manual close cabinet for flammable liquid storage

**Product Features:**

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Doors have 3 point locking system and radius edges
- Doors are double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents
- Adjustable leveling feet
- Safety signage in large red letters
- Galvannealed steel shelves adjust on 3" centers
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Manual close doors open full 180°
- Powder coated yellow finish

**Options: (Contact customer service for pricing)**

- Additional galvannealed shelves - see charts



BM60YP



Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	Weight (lbs.)	Additional Shelves	Weight (lbs.)
34x18x35	BM22YP	22	1	182	GS134	8
34x18x44	BM28YP	28	2	234	GS134	8
43x18x44	BM30YP	30	1	254	GS143	12
34x18x65	BM44YP	44	3	334	GS134	8
43x18x65	BM45YP	45	2	360	GS143	12
34x34x65	BM60YP	60	2	440	GS334	16
43x34x65	BM90YP	90	2	504	GS343	22
59x34x65	BM120YP	120	2	620	GS359	30

## Model BS

Self close cabinet for flammable liquid storage

**Product Features:**

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Doors have 3 point locking system and radius edges
- Doors are double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents
- Adjustable leveling feet
- Safety signage in large red letters
- Galvannealed steel shelves adjust on 3" centers
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Self close doors shut, index, latch automatically as fusible links melt under fire conditions at 165° F
- Concealed self closing mechanism
- Powder coated yellow finish

**Options: (Contact customer service for pricing)**

- Additional galvannealed shelves - see charts



BS60YP



Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	Weight (lbs.)	Additional Shelves	Weight (lbs.)
34x18x35	BS22YP	22	1	196	GS134	8
34x18x44	BS28YP	28	2	248	GS134	8
43x18x44	BS30YP	30	1	268	GS143	12
34x18x65	BS44YP	44	3	348	GS134	8
43x18x65	BS45YP	45	2	374	GS143	12
34x34x65	BS60YP	60	2	454	GS334	16
43x34x65	BS90YP	90	2	518	GS343	22

## Model FM

Forkliftable manual close cabinet for flammable liquid storage

### Product Features:

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 4" high feet allow for movement of empty unit with a fork lift truck.
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Doors have 3 point locking system and radius edges
- Doors are double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents
- Safety signage in large red letters
- Galvannealed steel shelves adjust on 3" centers
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Manual close door opens full 180°
- Powder coated yellow finish

### Options: (Contact customer service for pricing)

- Additional galvannealed shelves - see charts



FM44YP



Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	Weight (lbs.)	Additional Shelves	Weight (lbs.)
34x18x49	FM28YP	28	2	230	GS134	8
43x18x49	FM30YP	30	1	250	GS143	12
34x18x70	FM44YP	44	3	340	GS134	8
43x18x70	FM45YP	45	2	368	GS143	12
34x34x70	FM60YP	60	2	444	GS334	16
43x34x70	FM90YP	90	2	508	GS343	22
59x34x70	FM120YP	120	2	626	GS359	30

## Model FS

Forkliftable self close cabinet for flammable liquid storage

### Product Features:

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 4" high feet allow for movement of empty unit with a fork lift truck.
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Doors have 3 point locking system and radius edges
- Doors are double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents
- Safety signage in large red letters
- Galvannealed steel shelves adjust on 3" centers
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Self close doors shut, index, latch automatically as fusible links melt under fire conditions at 165° F
- Concealed self closing mechanism
- Powder coated yellow finish

### Options: (Contact customer service for pricing)

- Additional galvannealed shelves - see charts



FS44YP



Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	Weight (lbs.)	Additional Shelves	Weight (lbs.)
34x18x49	FS28YP	28	2	250	GS134	8
43x18x49	FS30YP	30	1	270	GS143	12
34x18x70	FS44YP	44	3	354	GS134	8
43x18x70	FS45YP	45	2	388	GS143	12
34x34x70	FS60YP	60	2	460	GS334	16
43x34x70	FS90YP	90	2	524	GS343	22

## Model BA

Narrow, manual close cabinet for flammable liquid storage

### Product Features:

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Door has 3 point locking system and radius edges
- Door is double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Galvannealed steel shelves adjust on 3" centers
- Twin 2" flame arrester vents
- Adjustable leveling feet
- Safety signage in large red letters
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Manual close door opens full 180°
- Powder coated yellow finish

### Options: (Contact customer service for pricing)

- Additional galvannealed shelves - see charts



BA24YP



Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	Weight (lbs.)	Additional Shelves	Weight (lbs.)
23x18x22	BA06YP*	6	0	92	GS123	6
23x18x35	BA12YP	12	1	130	GS123	6
23x18x44	BA18YP	18	2	166	GS123	6
23x18x65	BA24YP	24	3	244	GS123	6
23x34x65	BA60YP	60	3	410	GS323	6

\*Not FM Approved

## Model BJ

Narrow, self close cabinet for flammable liquid storage

### Product Features:

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Door has 3 point locking system and radius edges
- Door is double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Galvannealed steel shelves adjust on 3" centers
- Twin 2" flame arrester vents
- Adjustable leveling feet
- Safety signage in large red letters
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Self close doors shut, index, latch automatically as fusible links melt under fire conditions at 165° F
- Concealed self closing mechanism
- Powder coated yellow finish

### Options: (Contact customer service for pricing)

- Additional galvannealed shelves - see charts



BJ24YP



Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	Weight (lbs.)	Additional Shelves	Weight (lbs.)
23x18x22	BJ06YP*	6	0	98	GS123	6
23x18x35	BJ12YP	12	1	142	GS123	6
23x18x44	BJ18YP	18	2	178	GS123	6
23x18x65	BJ24YP	24	3	250	GS123	6
23x34x65	BJ60YP	60	3	416	GS323	6

\*Not FM Approved

## Model BT

*Under counter, manual close cabinet for flammable liquid storage*

**Product Features:**

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- Cabinet-style kickplate (3" d x 4" h toe kick)
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Door(s) have 3 point locking system and radius edges
- Door(s) are double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents mounted on back wall
- Galvannealed steel shelves adjust on 3" centers
- Adjustable leveling feet
- Safety signage in large red letters
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Manual close door opens full 180°
- Powder coated yellow finish



BT12YP



**Options: (Contact customer service for pricing)**

- Additional galvannealed shelves - see charts

Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	Weight (lbs.)	Additional Shelves	Weight (lbs.)
24x22x35	<b>BT12YP</b>	12	1	156	<b>GS222</b>	8
36x22x35	<b>BT22YP</b>	22	1	198	<b>GS322</b>	12
48x22x35	<b>BT30YP</b>	30	1	240	<b>GS422</b>	16

## Model BK

*Under counter, self close cabinet for flammable liquid storage*

**Product Features:**

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- Cabinet-style kickplate (3" d x 4" h toe kick)
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Door(s) have 3 point locking system and radius edges
- Door(s) are double walled, 14-gauge outside and 18-gauge inside
- Door(s) open full 180°
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents mounted on back wall
- Galvannealed steel shelves adjust on 3" centers
- Adjustable leveling feet
- Safety signage in large red letters
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Self close doors shut, index, latch automatically as fusible links melt under fire conditions at 165° F
- Concealed self closing mechanism
- Powder coated yellow finish



BK12YP



**Options: (Contact customer service for pricing)**

- Additional galvannealed shelves - see charts

Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	Weight (lbs.)	Additional Shelves	Weight (lbs.)
24x22x35	<b>BK12YP</b>	12	1	156	<b>GS222</b>	8
36x22x35	<b>BK22YP</b>	22	1	212	<b>GS322</b>	12
48x22x35	<b>BK30YP</b>	30	1	254	<b>GS422</b>	16



## Model BY

Countertop, manual close stackable cabinet for flammable liquid storage

**Product Features:**

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Door(s) have 3 point locking system and radius edges
- Door(s) are double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents
- Galvannealed steel shelves adjust on 3" centers
- Adjustable leveling feet with rubber caps
- Safety signage in large red letters
- Grounding connector.
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Manual close door opens full 180°
- Powder coated yellow finish



BY06YP



**Options: (Contact customer service for pricing)**

- Additional galvannealed shelves - see charts

Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	Weight (lbs.)	Additional Shelves	Weight (lbs.)
23x18x22	BY06YP*	6	0	92	GS123	6
34x18x22	BY11YP*	11	0	140	GS134	8
43x18x22	BY15YP	15	0	160	GS143	12

\*Not FM Approved

## Model BU

Countertop, self close stackable cabinet for flammable liquid storage

**Product Features:**

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Door(s) have 3 point locking system and radius edges
- Door(s) are double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents
- Galvannealed steel shelves adjust on 3" centers
- Adjustable leveling feet with rubber caps
- Safety signage in large red letters
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Door(s) open full 180°
- Self close doors shut, index, latch automatically as fusible links melt under fire conditions at 165° F
- Concealed self closing mechanism
- Powder coated yellow finish



BU11YP



**Options: (Contact customer service for pricing)**

- Additional galvannealed shelves - see charts

Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	Weight (lbs.)	Additional Shelves	Weight (lbs.)
23x18x22	BU06YP*	6	0	98	GS123	6
34x18x22	BU11YP*	11	0	154	GS134	8
43x18x22	BU15YP	15	0	174	GS143	12

\*Not FM Approved

## Model BP

Manual close cabinet for paint and ink storage

**Product Features:**

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Doors have 3 point locking system and radius edges
- Doors are double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents
- Adjustable leveling feet
- Safety signage in large red letters
- Galvannealed steel shelves adjust on 3" centers
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Manual close door opens full 180°
- Powder coated red finish

**Options: (Contact customer service for pricing)**

- Additional galvannealed shelves - see charts



BP24YP



Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	# Doors	Weight (lbs.)	Additional Shelves	Weight (lbs.)
23x18x22	BP12RP	12	1	1	114	GS123	6
23x18x35	BP18RP	18	2	1	136	GS123	6
23x18x44	BP24RP	24	3	1	170	GS123	6
34x18x35	BP30RP	30	3	2	190	GS123	6
43x18x65	BP72RP	72	5	2	392	GS143	12
43x34x65	BP120RP	120	5	2	566	GS343	22

## Model BN

Self close cabinet for paint and ink storage

**Product Features:**

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Doors have 3 point locking system and radius edges
- Doors are double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents
- Adjustable leveling feet
- Safety signage in large red letters
- Galvannealed steel shelves adjust on 3" centers
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Self close doors shut, index, latch automatically as fusible links melt under fire conditions at 165° F
- Concealed self closing mechanism
- Powder coated red finish

**Options: (Contact customer service for pricing)**

- Additional galvannealed shelves - see charts



BN24YP



Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	# Doors	Weight (lbs.)	Additional Shelves	Weight (lbs.)
23x18x22	BN12RP	12	1	1	122	GS123	6
23x18x35	BN18RP	18	2	1	138	GS123	6
23x18x44	BN24RP	24	3	1	174	GS123	6
34x18x35	BN30RP	30	3	2	204	GS123	6
43x18x65	BN72RP	72	5	2	406	GS143	12
43x34x65	BN120RP	120	5	2	584	GS343	22

## Model CL

Manual close cabinet for corrosives

**Product Features:**

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Doors have 3 point locking system and radius edges
- Doors are double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents
- Adjustable leveling feet
- Safety signage in large letters
- Galvannealed steel shelves adjust on 3" centers
- Polyethylene tray liner for each shelf and the sill
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Manual close door opens full 180°
- Powder coated blue finish

Note: Steel Corrosive Safety Cabinets - are not recommended for the storage of aggressive acids like nitric, hydrochloric or sulphuric

**Options: (Contact customer service for pricing)**

- Additional galvannealed shelves with liners- see charts



CL45BP



Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	# Doors	#Tray Liners	Weight (lbs.)	Additional Shelves	Weight (lbs.)
23x18x22	CL06BP*	6	0	1	1	92	GS123	6
23x18x35	CL12BP	12	1	1	2	138	GS123	6
23x18x44	CL18BP	18	2	1	3	176	GS123	6
23x18x65	CL24BP	24	3	1	4	248	GS123	6
43x18x44	CL30BP	30	1	2	2	260	GS143	12
43x18x65	CL45BP	45	2	2	3	368	GS143	12
34x34x65	CL60BP	60	2	2	3	456	GS334	16

\*Not FM Approved

## Model CK

Self close cabinet for corrosives

**Product Features:**

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Doors have 3 point locking system and radius edges
- Doors are double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents
- Adjustable leveling feet
- Safety signage in large letters
- Galvannealed steel shelves adjust on 3" centers
- Polyethylene tray liner for each shelf and the sill
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Self close door(s) shut, index and latch automatically as fusible link(s) melt under fire conditions at 165° F
- Concealed self closing mechanism
- Powder coated blue finish

Note: Steel Corrosive Safety Cabinets - are not recommended for the storage of aggressive acids like nitric, hydrochloric or sulphuric

**Options: (Contact customer service for pricing)**

- Additional galvannealed shelves with liners- see charts



CK24BP



Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	# Doors	#Tray Liners	Weight (lbs.)	Additional Shelves	Weight (lbs.)
23x18x22	CK06BP*	6	0	1	1	98	GS123	6
23x18x35	CK12BP	12	1	1	2	144	GS123	6
23x18x44	CK18BP	18	2	1	3	182	GS123	6
23x18x65	CK24BP	24	3	1	4	254	GS123	6
43x18x44	CK30BP	30	1	2	2	274	GS143	12
43x18x65	CK45BP	45	2	2	3	382	GS143	12
34x34x65	CK60BP	60	2	2	3	470	GS334	16

\*Not FM Approved

## Model FL

Manual close cabinet for pesticides

### Product Features:

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Doors have 3 point locking system and radius edges
- Doors are double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents
- Adjustable leveling feet
- Safety signage in large letters
- Galvannealed steel shelves adjust on 3" centers
- Polyethylene tray liner for each shelf and the sill
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Manual close door opens full 180°
- Powder coated green finish



FL45EP



### Options: (Contact customer service for pricing)

- Additional galvannealed shelves with liners-see charts

Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	# Doors	#Tray Liners	Weight (lbs.)	Additional Shelves	Weight (lbs.)
23x18x22	FL06EP*	6	0	1	1	92	GS123	6
23x18x35	FL12EP	12	1	1	2	138	GS123	6
23x18x44	FL18EP	18	2	1	3	176	GS123	6
23x18x65	FL24EP	24	3	1	4	248	GS123	6
43x18x44	FL30EP	30	1	2	2	260	GS143	12
43x18x65	FL45EP	45	2	2	3	368	GS143	12
34x34x65	FL60EP	60	2	2	3	456	GS334	16

\*Not FM Approved

## Model FK

Self close cabinet for pesticides

### Product Features:

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Doors have 3 point locking system and radius edges
- Doors are double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents
- Adjustable leveling feet
- Safety signage in large letters
- Galvannealed steel shelves adjust on 3" centers
- Polyethylene tray liner for each shelf and the sill
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Self close door(s) shut, index and latch automatically as fusible link(s) melt under fire conditions at 165° F
- Concealed self closing mechanism
- Powder coated green finish



FK45EP



### Options: (Contact customer service for pricing)

- Additional galvannealed shelves with liners-see charts

Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	# Doors	#Tray Liners	Weight (lbs.)	Additional Shelves	Weight (lbs.)
23x18x22	FK06EP*	6	0	1	1	98	GS123	6
23x18x35	FK12EP	12	1	1	2	144	GS123	6
23x18x44	FK18EP	18	2	1	3	182	GS123	6
23x18x65	FK24EP	24	3	1	4	254	GS123	6
43x18x44	FK30EP	30	1	2	2	274	GS143	12
43x18x65	FK45EP	45	2	2	3	382	GS143	12
34x34x65	FK60EP	60	2	2	3	470	GS334	16

\*Not FM Approved

Chemical storage maximum - Class I and II - 60 gallons, Class III - 120 gallons

## Model BV

Manual close cabinet for 55-gallon drums of flammables

**Product Features:**

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Doors have 3 point locking system and radius edges
- Doors are double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents
- Galvannealed steel 1/2 depth shelf adjusts on 3" centers
- Adjustable leveling feet
- Safety signage in large red letters
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Manual close doors open full 180°
- Powder coated yellow finish



BV1YP



**Options: (Contact customer service for pricing)**

- Drum roller for BV1
- Drum roller for BV2
- Drum ramp (24" x 28")

Description (WxDxH inches)	Model Number	No. of Drums	# Shelves	# Doors	Weight (lbs.)	Additional Shelves	Weight (lbs.)
34x34x65	<b>BV1YP</b>	1	1	2	384	<b>GS134</b>	8
59x34x65	<b>BV2YP</b>	2	1	2	550	<b>GS159</b>	16

## Model BW

Self close cabinet for 55-gallon drums of flammables

**Product Features:**

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Doors have 3 point locking system and radius edges
- Doors are double walled, 14-gauge outside and 18-gauge inside
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents
- Galvannealed steel 1/2 depth shelf adjusts on 3" centers
- Adjustable leveling feet
- Safety signage in large red letters
- Grounding connector
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Self close doors shut, index and latch automatically as fusible link(s) melt under fire conditions at 165° F
- Concealed self closing mechanism
- Powder coated yellow finish



BW1YP  
(shown with optional drum roller)



**Options: (Contact customer service for pricing)**

- Drum roller for BW1
- Drum ramp (24" x 28")

Description (WxDxH inches)	Model Number	No. of Drums	# Shelves	# Doors	Weight (lbs.)	Additional Shelves	Weight (lbs.)
34x34x65	<b>BW1YP</b>	1	1	2	396	<b>GS134</b>	8

## Model RC

Manual close hazardous material storage cabinet

**Product Features:**

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- 2" leakproof sill to contain leaks
- Lockable flush mounted handle with 2 keys
- Doors are double walled, 14-gauge outside and 18-gauge inside
- Doors have 3 point locking system and radius edges
- 4" heavy duty weld hinges with 3/8" brass pins
- Twin 2" flame arrester vents
- Adjustable leveling feet
- Safety signage in large red letters
- Grounding connector
- Galvannealed steel shelves adjust on 3" centers
- Meets OSHA, NFPA Code 30, UFC 79 Standards and are FM Class 6050 approved
- Manual close doors open full 180°
- Powder coated gray finish



RC12GP

**Options: (Contact customer service for pricing)**

- Drum roller for RC1
- Drum roller for RC2
- Drum ramp (24" x 28")



Description (WxDxH inches)	Model Number	Capacity Gallons	# Shelves	# Doors	Weight (lbs.)	Additional Shelves	Weight (lbs.)
23x18x35	<b>RC12GP</b>	12	1	1	130	<b>GS123</b>	6
43x18x44	<b>RC30GP</b>	30	1	2	254	<b>GS143</b>	12
43x18x65	<b>RC45GP</b>	45	2	2	360	<b>GS143</b>	12
34x34x65	<b>RC60GP</b>	60	2	2	440	<b>GS334</b>	16

**Drum Models (rollers not included)**

Description (WxDxH inches)	Model Number	# Drums	# Shelves	# Doors	Weight (lbs.)	Additional Shelves	Weight (lbs.)
34x34x65	<b>RC1GP</b>	1	1	2	384	<b>GS134</b>	8
59x34x65	<b>RC2GP</b>	2	1	2	550	<b>GS159</b>	16

## Model BR

Fire resistant manual close cabinet to secure materials or valuables

**Product Features:**

- All welded double wall 18-gauge construction with 1-1/2" insulating air space
- Lockable flush handle with 2 keys
- Doors are double walled, 14-gauge outside and 18-gauge inside
- Doors have 3 point locking system and radius edges
- 4" heavy duty weld hinges with 3/8" brass pins
- Adjustable leveling feet
- Galvannealed steel shelves adjust on 3" centers
- Manual close door opens full 180°
- Powder coated gray finish



BR29GP




Description (WxDxH inches)	Model Number	Capacity (Cu.Ft.)	# Shelves	# Doors	Weight (lbs.)	Additional Shelves	Weight (lbs.)
43x18x44	<b>BR19GP</b>	19	3	2	280	<b>PS143</b>	10
34x18x65	<b>BR23GP</b>	23	4	2	348	<b>PS134</b>	8
43x18x65	<b>BR29GP</b>	29	4	2	424	<b>PS143</b>	10
34x34x65	<b>BR43GP</b>	43	4	2	474	<b>PS334</b>	15
43x34x65	<b>BR55GP</b>	55	4	2	544	<b>PS343</b>	19
59x34x65	<b>BR75GP</b>	75	4	2	666	<b>PS359</b>	26

## Model CW

Vertical propane tank cabinet

**Product Features:**

- Lockable mesh door(s) with slide bolt hasp (padlock not included)
- All welded - ready to use, meets OSHA 1910
- 13-gauge flattened mesh sides
- 14-gauge solid top
- 1-1/2" x 3/16" thick corner angles
- Foot pads with pre-drilled holes
- Safety signage in large red letters
- 14-gauge steel shelve(s)
- Powder coated safety yellow



CW330YP


Description (WxDxH inches)	Model Number	Max # Vertical Cylinders	Weight (lbs.)
33x22x40	CW130YP	2	130
33x34x40	CW330YP	4	160

## Model CH

Horizontal propane tank cabinet

**Product Features:**

- Lockable mesh door(s) with slide bolt hasp (padlock not included)
- All welded - ready to use, meets OSHA 1910
- 13-gauge flattened mesh sides
- 14-gauge solid top
- 1-1/2" x 3/16" thick corner angles
- Foot pads with pre-drilled holes
- Safety signage in large red letters
- Smooth 1" tube support rails protect cylinders from damage
- Powder coated safety yellow



CH120YP

Description (WxDxH inches)	Model Number	Max # Horizontal Cylinders	Weight (lbs.)
33x40x40	CH040YP	4	170
33x40x71	CH080YP	8	280
50x40x71	CH120YP	12	384

## Model CA

Vertical propane tank cabinet

**Product Features:**

- Lockable mesh door(s) with slide bolt hasp (padlock not included)
- All welded - ready to use, meets OSHA 1910
- 13-gauge flattened mesh sides
- 14-gauge solid top
- 1-1/2" x 3/16" thick corner angles
- Foot pads with pre-drilled holes
- Safety signage in large red letters
- 14-gauge steel shelve(s)
- Powder coated safety yellow



CA120YP

Description (WxDxH inches)	Model Number	Max # Vertical Cylinders	Weight (lbs.)
33x40x40	CA040YP	4-6	180
33x40x71	CA080YP	8-12	290
50x40x71	CA120YP	12-18	414

## Model CV

Vertical welding gas cylinder cabinet

**Product Features:**

- Open floor allows large cylinders to be "walked in" safely
- Holds vertical cylinders up to 200 lbs.
- Lockable mesh door(s) with slide bolt hasp (no lock)
- All welded - ready to use, meets OSHA 1910
- 13-gauge flattened mesh sides
- 14-gauge solid top
- 1-1/2" x 3/16" thick corner angles
- Safety retention chain(s) on vertical storage side(s)
- Foot pads with pre-drilled holes
- Safety signage in large red letters
- Powder coated safety yellow



CV051YP

Description (WxDxH inches)	Model Number	Max # Vertical Cylinders	Weight (lbs.)
33x40x71	CV051YP	5-10	214
64x40x71	CV102YP	10-20	402

## Model MJ

*Super rugged Mill Duty forkliftable cabinet with 4 adjustable shelves*

**Product Features:**

- All welded 12-gauge construction
- Super structure extra bracing - exterior skeleton of 1/8" angle on front facing corners
- Heavy duty lockable door handle (casting) - (padlock not included)
- Extra heavy duty full length piano hinges welded to frame to retain doors
- Four 12-gauge adjustable shelves (on 1-1/2" centers) with 2" lips (corners welded)
- 4" high feet allow for moving of empty unit with fork lift truck
- Overall height - 78"
- Powder coated black finish

**Options: (Contact customer service for pricing)**

- Additional shelves
- Powder coated gray finish



MJ260BL

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
48x24x78	<b>MJ248BL</b>	4	680
60x24x78	<b>MJ260BL</b>	4	800

## Model MH

*Heavy duty security cabinet with 1 adjustable shelf*

**Product Features:**

- All welded construction
- Adjustable middle shelf is standard - adjustable on 3-1/2" centers
- Durable 12-gauge steel shelves, and 3/16" thick angle corners
- Shelf lips down (flush)
- 14-gauge solid top and 4' high solid sides
- 2 solid doors with lockable hasp (padlock not included)
- Overall height - 54"
- Powder coated black finish

**Options: (Contact customer service for pricing)**

- Additional shelves
- Powder coated gray finish



MH248BL

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
48x24x54	<b>MH248BL</b>	1	464
48x30x54	<b>MH348BL</b>	1	500

Note: doors add 4" to depth

## Model MF


*Heavy duty all mesh security cabinet with 1 adjustable solid shelf*

**Product Features:**

- All welded construction
- Adjustable middle shelf is standard - adjustable on 3-1/2" centers
- Durable 12-gauge steel shelves, and 3/16" thick angle corners
- Shelf lips down (flush)
- Flattened 13-gauge expanded mesh top and 4' high mesh sides
- 2 flattened 13-gauge expanded mesh doors with lockable hasp (padlock not included)
- Overall height - 54"
- Powder coated black finish

**Options: (Contact customer service for pricing)**

- Additional shelves
- Powder coated gray finish



MF248BL

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
48x24x54	<b>MF248BL</b>	1	386

Note: doors add 4" to depth



## Model MG

Heavy duty narrow security cabinet with 3 shelves

**Product Features:**

- All welded 14-gauge construction
- 3 durable 12-gauge steel shelves, and 12-gauge feet
- Shelf lips down (flush)
- Solid back, sides and top
- 14-gauge solid door with lockable hasp (padlock not included)
- Clearance between shelves – 15"
- Overall height - 54"
- Powder coated black finish

**Options: (Contact customer service for pricing)**

- Powder coated gray finish



MG230BL

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
24x24x54	MG224BL	3	270
24x24x66	MG224SFBL	3	270
36x24x54	MG230BL	3	310
36x24x66	MG230SFBL	3	310

Note: Doors add 4" to depth

## Model ME

Heavy duty narrow mesh security cabinet with 3 shelves, solid back

**Product Features:**

- All welded construction
- 3 durable 12-gauge steel shelves, and 12-gauge feet
- Shelf lips down (flush)
- Sides and top are flattened 13-gauge mesh with 14-gauge solid back panel
- 1 flattened 13-gauge expanded mesh door with lockable hasp (padlock not included)
- Clearance between shelves - 15"
- Overall height - 54"
- Powder coated black finish

**Options: (Contact customer service for pricing)**

- Powder coated gray finish



ME230BL

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
24x24x54	ME224BL	3	200
24x24x66	ME224SFBL	3	200
30x24x54	ME230BL	3	240
30x24x66	ME230SFBL	3	240
36x24x54	ME236BL	3	280
36x24x66	ME236SFBL	3	280

Note: Doors add 4" to depth

## Model DL

Forkliftable heavy duty security cabinet with 4 shelves

**Product Features:**

- All welded 14-gauge construction
- 4 durable 14-gauge reinforced shelves with 1-1/2" lips
- Solid back, sides and top
- Lockable solid doors, with lever handle, 3 point locking system
- Doors open 180° (padlock not included)
- Shelves adjust on 2-1/2" centers
- 4" high feet allow for moving of empty unit with fork lift truck
- Overall height - 78"
- Powder coated black finish

**Options: (Contact customer service for pricing)**

- Additional shelves
- Powder coated gray finish



DL260BL

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
36x18x78	DL136BL	4	320
48x18x78	DL148BL	4	450
36x24x78	DL236BL	4	370
48x24x78	DL248BL	4	450
60x24x78	DL260BL	4	520

## Model DJ

*Forkliftable heavy duty security cabinet with 4 shelves and mesh doors*

**Product Features:**

- All welded 14-gauge construction
- Clearview door panels are 13-gauge expanded mesh
- Solid back, sides and top
- Lockable expanded mesh doors, with lever handle, 3 point locking system
- Doors open 180° (padlock not included)
- Includes four 14-gauge shelves with 1-1/2" lips
- Shelves adjust on 2-1/2" centers
- 4" high feet allow for moving of empty unit with fork lift truck
- Overall height - 78"
- Powder coated black finish

**Options: (Contact customer service for pricing)**

- Additional shelves
- Powder coated gray finish



DJ248BL

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
36x18x78	<b>DJ136BL</b>	4	306
36x24x78	<b>DJ236BL</b>	4	354
48x24x78	<b>DJ248BL</b>	4	426
60x24x78	<b>DJ260BL</b>	4	496

## Model DS

*Forkliftable heavy duty security cabinet with 4 reinforced shelves*

**Product Features:**

- All welded 14-gauge construction
- Lockable solid doors, with lever handle, 3 point locking system
- Doors open 180° (padlock not included)
- Includes four 14-gauge reinforced shelves with 2" lips, corners welded, and return bends for extra strength
- Shelves adjust on 2-1/2" centers
- 4" high feet allow for moving of empty unit with fork lift truck
- Overall height - 78"
- Powder coated black finish

**Options: (Contact customer service for pricing)**

- Additional shelf
- Powder coated gray finish



DS269BL

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
36x18x78	<b>DS136BL</b>	4	330
36x24x78	<b>DS236BL</b>	4	380
48x24x78	<b>DS248BL</b>	4	462
60x24x78	<b>DS260BL</b>	4	544

## Model DM

*Forkliftable heavy duty security cabinet with 4 reinforced shelves and mesh doors*

**Product Features:**

- All welded 14-gauge construction
- Clearview door panels are 13-gauge expanded mesh
- Lockable expanded mesh doors, with lever handle, 3 point locking system
- Doors open 180° (padlock not included)
- Includes four 14-gauge reinforced shelves with 2" lips, corners welded, and return bends for extra strength
- Shelves adjust on 2-1/2" centers
- 4" high feet allow for moving of empty unit with fork lift truck
- Overall height - 78"
- Powder coated black finish

**Options: (Contact customer service for pricing)**

- Additional shelf
- Powder coated gray finish



DM248BL

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
36x18x78	<b>DM136BL</b>	4	316
36x24x78	<b>DM236BL</b>	4	364
48x24x78	<b>DM248BL</b>	4	438
60x24x78	<b>DM260BL</b>	4	510

## Model MS

*Forkliftable garment cabinet with 4 shelves*

**Product Features:**

- All welded 14-gauge construction (walls and doors)
- Lockable doors, with lever handle, 3 point locking system
- Doors open 180° (padlock not included)
- Full fixed top shelf - 18-gauge with 12" clearance
- 4" high feet allow for moving of empty unit with fork lift truck
- Vertical divider separates interior into two halves
- 4 adjustable 20" x 20" half shelves, adjust on 2-1/2" centers
- 1-1/4" garment bar - 16"
- Overall height - 78"
- Powder coated black finish

**Options: (Contact customer service for pricing)**

- Additional half shelves with adjustable clips
- Powder coated gray finish



MS236BL

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
36x24x78	MS236BL	4	352

## Model MK

*Forkliftable garment cabinet with 2 shelves and 3 drawers*

**Product Features:**

- All welded 14-gauge construction (walls and doors)
- Lockable doors, with lever handle, 3 point locking system
- Doors open 180° (padlock not included)
- Full fixed top shelf - 18-gauge with 12" clearance
- 4" high feet allow for moving of empty unit with fork lift truck
- Vertical divider separates interior into two halves
- 3 lockable drawers (keyed alike) with 2 keys 5" h x 16" w x 16" d
- 2 adjustable 20" x 20" half shelves, adjust on 2-1/2" centers
- 1-1/4" garment bar - 16"
- Overall height - 78"
- Powder coated black finish

**Options: (Contact customer service for pricing)**

- Additional half shelves with adjustable clips
- Powder coated gray finish



MK236BL

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
36x24x78	MK236BL	2	412

## Model ML

*Forkliftable spill cleanup supplies cabinet with 4 shelves and garment bar*

**Product Features:**

- All welded 14-gauge construction (walls and doors)
- Lockable doors, with lever handle, 3 point locking system (padlock not included)
- Doors open 180°
- Four adjustable 20" x 20" half shelves, adjust on 2-1/2" centers
- Vertical divider separates interior into two halves
- 1-1/4" garment bar - 16" (36" wide unit) and 28" (48" unit)
- Full fixed top shelf - 18-gauge with 12" clearance
- 4" high feet allow for moving of empty unit with fork lift truck
- "Spill Containment Cabinet" signage in large red letters
- Overall height - 78"
- Powder coated yellow finish

**Options: (Contact customer service for pricing)**

- Additional shelves with adjustable clips



ML236YP

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
36x24x78	ML236YP	4	352
48x24x78	ML248YP	4	410

## Model HY

Forkliftable heavy duty security cabinet with 2 shelves and plastic bins

### Product Features:

- All welded 14-gauge construction
- Lockable doors, with lever handle, 3 point locking system
- Doors open 180° (padlock not included)
- 4" high feet allow for moving of empty unit with fork lift truck
- Includes 2 reinforced 14-gauge reinforced shelves with 1-1/2" lips
- Full shelf rails allow shelves to be adjusted on 2-1/2" centers
- Overall height - 78"
- Powder coated black finish

### Options: (Contact customer service for pricing)

- Additional shelves
- Additional Big Bins
- Additional Large Bins
- Powder coated gray finish



HY236BL

Yellow Plastic Hanging Bin Sizes		
Code	Size	Dimensions W x D x H
RB	Large	8 1/4" x 11" x 7"



RB - Large

Description (WxDxH inches)	Model Number	# Shelves	# of Large Bins	Weight (lbs.)
36x24x78	HY236BL	2	16	382
48x24x78	HY248BL	2	20	474

## Our Bins

Jamco uses heavy-duty industrial-grade AkroBins and Shelf Bins manufactured by Akro-Mils

### AkroBin Features:

- Curved-bottom hopper front makes it easy to retrieve small parts
- Bins are resistant to weak acids and alkalis
- Water, rust and corrosion-proof
- Large front label area for easy coding and scanning

### Shelf Bin Features:

- One-piece construction is waterproof and resistant to grease or oil
- Wide hopper front allows easy access
- Works in temperatures down to -20° F
- Bins nest when empty to conserve space





DE260BL



DF248BL



DZ248BL



DP260BL

## Model DF, DZ, DP, DE

Forkliftable heavy duty storage cabinets with plastic bins

### Product Features:

- All welded 14-gauge construction walls
- Full louvered panels – back wall and doors
- Lockable doors with lever handle, 3 point lock system doors open full 180° (padlock not included)
- 4" high feet allow for moving of empty unit with fork lift truck
- Overall height – 78"
- Powder coated black finish

### Options: (Contact customer service for pricing)


- Additional Big Bins
- Additional Large Bins
- Additional Medium Bins – (Model DE only)
- Additional Small Bins
- Powder coated gray finish

### Yellow Plastic Hanging Bin Sizes


Code	Size	Dimensions W x D x H
RG	Big	16½" x 14¾" x 7"
RB	Large	8¾" x 11" x 7"
RC	Medium	5½" x 11" x 5"
RD	Small	4⅞" x 7½" x 3"



Description (WxDxH inches)	Model Number	# Shelves	# of Big Bins	# of Large Bins	# of Medium Bins	# of Small Bins	Weight (lbs.)
36x24x78	DF236BL	0	10	16	0	96	406
48x24x78	DF248BL	0	10	25	0	128	510
60x24x78	DF260BL	0	15	28	0	160	600
36x24x78	DZ236BL	0	0	36	0	96	412
48x24x78	DZ248BL	0	0	45	0	128	516
60x24x78	DZ260BL	0	0	54	0	160	620
36x24x78	DP236BL	0	18	0	0	96	402
48x24x78	DP248BL	0	18	9	0	128	506
60x24x78	DP260BL	0	27	0	0	160	592
36x24x78	DE236BL	0	0	16	24	96	412
48x24x78	DE248BL	0	6	18	24	128	518
60x24x78	DE260BL	0	9	21	30	170	602




DN236BL



DT236BL

UP TO  
**1000 lbs.**  
PER SHELF



DX248BL

## Model DN, DT, DX

Forkliftable heavy duty storage cabinets with plastic bins and shelves

### Product Features:

- All welded 14-gauge construction walls
- Full louvered panels on back wall and doors
- Full shelf rails allow shelves to be adjusted on 2-1/2" centers
- Two 14-gauge shelves
- Lockable doors with lever handle, 3 point lock system doors open full 180° (padlock not included)
- 4" high feet allow for moving of empty unit with fork lift truck
- Overall height – 78"
- Powder coated black finish

### Options: (Contact customer service for pricing)

- Additional Shelf
- Additional Big Bins
- Additional Large Bins
- Additional Small Bins
- Powder coated gray finish

Yellow Plastic Hanging Bin Sizes		
Code	Size	Dimensions W x D x H
RG	Big	16½" x 14¾" x 7"
RB	Large	8¼" x 11" x 7"
RD	Small	4⅞" x 7½" x 3"



RG - Big



RB - Large



RD - Small

Description (WxDxH inches)	Model Number	# Shelves	# of Big Bins	# of Large Bins	# of Medium Bins	# of Small Bins	Weight (lbs.)
36x24x78	DN236BL	2	8	0	0	96	432
48x24x78	DN248BL	2	8	4	0	128	542
36x24x78	DT236BL	2	0	16	0	96	438
48x24x78	DT248BL	2	0	20	0	128	546
60x24x78	DT260BL	2	0	24	0	160	636
36x24x78	DX236BL	2	4	8	0	96	434
48x24x78	DX248BL	2	4	12	0	128	544
60x24x78	DX260BL	2	6	12	0	160	632

## Model WP

*Narrow security cabinet with 1 door*

**Product Features:**

- All welded construction
- Lockable door with 2 keys
- Durable 14-gauge steel shelves and sides and 12-gauge feet
- Top shelf front lip down, 3 other sides lips up for retention
- Bottom shelf lips down (flush)
- Clearance between shelves - 24"
- Overall height - 33"
- Powder coated gray finish



UP TO  
2000  
LBS.

WP218GP

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
24x18x33	WP218GP	0	126

## Model JS

*Narrow security cabinet with 4 drawers*

**Product Features:**

- All welded construction
- Lockable drawers (keyed alike) with 2 keys 5" h x 16" w x 16" d
- Durable 14-gauge steel shelves and sides and 12-gauge feet
- Top shelf front lip down, 3 other lips up for retention
- Bottom shelf lips down (flush)
- Overall height - 33"
- Powder coated gray finish



UP TO  
2000  
LBS.

JS218GP

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
24x18x33	JS218GP	0	232

## Model JK

*Security cabinet with 4 drawers and 1 door*

**Product Features:**

- All welded construction
- Lockable drawers (keyed alike) with 2 keys 5" h x 16" w x 16" d
- Lockable door (keyed alike with drawers) with 2 keys
- Durable 14-gauge steel shelves and sides and 12-gauge feet
- Top shelf front lip down, 3 other lips up for retention
- Bottom shelf lips down (flush)
- Overall height - 33"
- Powder coated gray finish



UP TO  
2000  
LBS.

JK236GP

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
36x18x33	JK136GP	0	318
36x24x33	JK236GP	0	362

## Model JL

*Security cabinet with 8 drawers*

**Product Features:**

- All welded construction
- 8 lockable drawers (keyed alike) with 2 keys 5" h x 16" w x 16" d
- Durable 14-gauge steel shelves and sides and 12-gauge feet
- Top shelf front lip down, 3 other lips up for retention
- Bottom shelf lips down (flush)
- Overall height - 33"
- Powder coated gray finish



UP TO  
2000  
LBS.

JL236GP

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
36x24x33	JL236GP	0	462

## Model WJ

*Security cabinet with 2 doors*

**Product Features:**

- All welded construction
- Lockable doors (keyed alike) with 2 keys
- Durable 14-gauge steel shelves and sides and 12-gauge feet
- Top shelf front lip down, 3 other sides lips up for retention
- Bottom shelf lips down (flush)
- Clearance between shelves - 24"
- Overall height - 33"
- Powder coated gray finish



UP TO  
2000  
LBS.

WJ236GP

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)
36x24x33	WJ236GP	0	162

## Model JE

Secure mobile storage cabinet with 1 drawer, 1 door and 1 open shelf

**Product Features:**

- All welded construction (except casters)
- Durable 14-gauge steel shelves and sides, and 12-gauge caster mounts for long lasting use
- Lockable drawer (keyed alike) with 2 keys 5" h x 16" w x 16" d
- Lockable doors (keyed alike with drawers) with 2 keys
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Top shelf front lip down, 3 other lips up for retention
- Bottom shelf lips down (flush)
- Clearance behind door - 24"
- Clearance under drawer - 17"
- Overall height - 36", (40" with 8" casters)
- Powder coated gray finish

**Additional options available, see page 45 for details.**



JE236U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
36x24x36,40	<b>JE236U500GP</b>	168

Note: Pneumatic casters add 4" to height

## Model JF

Secure mobile storage cabinet with 4 drawers and 1 door

**Product Features:**

- All welded construction (except casters)
- Durable 14-gauge steel shelves and sides, and 12-gauge caster mounts for long lasting use
- 4 lockable drawers (keyed alike) with 2 keys 5" h x 16" w x 16" d
- Lockable door (keyed alike with drawers) with 2 keys
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Top shelf front lip down, 3 other lips up for retention
- Bottom shelf lips down (flush)
- Clearance behind door - 24"
- Overall height - 36", (40" with 8" casters)
- Powder coated gray finish

**Additional options available, see page 45 for details.**



JF236U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
36x24x36,40	<b>JF236U500GP</b>	212

Note: Pneumatic casters add 4" to height



## Model JH

Secure mobile storage cabinet with 2 doors

**Product Features:**

- All welded construction (except casters)
- Durable 14-gauge steel shelves, 14-gauge sides, and 12-gauge caster mounts for long lasting use
- 2 lockable doors (keyed alike) with 2 keys
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Top shelf front lip down, 3 other lips up for retention
- Bottom shelf lips down (flush)
- Clearance behind door - 24"
- Overall height - 36", (40" with 8" casters)
- Powder coated gray finish

**Additional options available, see page 45 for details.**



JH236U500GP

Description (WxDxH inches)	5" Urethane Casters	5" Thermorubber Casters	Weight (lbs.)	8" Semi Pneumatic Casters	Weight (lbs.)
36x24x36,40	<b>JH236U500GP</b>	<b>JH236T500GP</b>	146	<b>JH236Z800GP</b>	166

Note: Pneumatic casters add 4" to height

## Model JN

Secure mobile storage cabinet with 2 drawers and 2 doors

**Product Features:**

- All welded construction (except casters)
- Durable 14-gauge steel shelves and sides, and 12-gauge caster mounts for long lasting use
- Lockable drawers (keyed alike) with 2 keys 5" h x 16" w x 16" d
- Lockable doors (keyed alike with drawers) with 2 keys
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Top shelf front lip down, 3 other lips up for retention
- Bottom shelf lips down (flush)
- Clearance behind door - 24"
- Overall height - 36", (40" with 8" casters)
- Powder coated gray finish

**Additional options available, see page 45 for details.**



JN236U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)	8" Full Pneumatic Casters	Weight (lbs.)
36x24x36,40	<b>JN236U500GP</b>	190	<b>JN236N800GP</b>	210

Note: Pneumatic casters add 4" to height

## Model SB

2 shelf service cart

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 25"
- Overall height - 35"
- Powder coated gray finish

Additional options available, see page 45 for details.



SB236U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
18x24x35	SB124U500GP	74
18x30x35	SB130U500GP	80
18x36x35	SB136U500GP	88
24x30x35	SB230U500GP	96
24x36x35	SB236U500GP	106
24x48x35	SB248U500GP	126
30x36x35	SB336U500GP	124
30x48x35	SB348U500GP	148
30x60x35	SB360U500GP	174
36x48x35	SB448U500GP	170

## Model SA

Vibration reduction 2 shelf cart

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 25"
- Overall height - 39"
- Powder coated gray finish

Additional options available, see page 45 for details.



SA236N800GP

Description (WxDxH inches)	8" Semi Pneumatic Casters	8" Full Pneumatic Casters	Weight (lbs.)
24x30x39	SA230Z800GP	SA230N800GP	118
24x36x39	SA236Z800GP	SA236N800GP	128
24x48x39	SA248Z800GP	SA248N800GP	148
30x36x39	SA336Z800GP	SA336N800GP	146
30x48x39	SA348Z800GP	SA348N800GP	170
30x60x39	SA360Z800GP	SA360N800GP	196
36x48x39	SA448Z800GP	SA448N800GP	192

## Model SE

Extra durable 2 shelf cart

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves with under bracing, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips down (flush) on top shelf and up on bottom shelf
- Clearance between shelves - 25"
- Overall height - 36"
- Powder coated gray finish

Additional options available, see page 45 for details.



SE236P600GP

Description (WxDxH inches)	6" Phenolic Casters	Weight (lbs.)
24x30x36	SE230P600GP	124
24x36x36	SE236P600GP	134
24x48x36	SE248P600GP	156
30x36x36	SE336P600GP	152
30x48x36	SE348P600GP	178
30x60x36	SE360P600GP	206
36x48x36	SE448P600GP	200

## Model SD

Super heavy duty 2 shelf cart

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves with extra under bracing, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips down (flush) on top shelf and up on bottom shelf
- Clearance between shelves - 25"
- Overall height - 38"
- Powder coated gray finish

Additional options available, see page 45 for details.



SD230P800GP

Description (WxDxH inches)	8" Phenolic Casters	Weight (lbs.)
24x30x38	SD230P800GP	134
24x36x38	SD236P800GP	150
24x48x38	SD248P800GP	178
30x36x38	SD336P800GP	166
30x48x38	SD348P800GP	200
30x60x38	SD360P800GP	232
36x48x38	SD448P800GP	220

## Model SC

3 shelf service cart

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid - for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 12"
- Overall height - 35"
- Powder coated gray finish

Additional options available, see page 45 for details.



SC236T500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
18x24x35	SC124U500GP	90
18x30x35	SC130U500GP	102
18x36x35	SC136U500GP	114
24x30x35	SC230U500GP	124
24x36x35	SC236U500GP	138
24x48x35	SC248U500GP	170
30x36x35	SC336U500GP	164
30x48x35	SC348U500GP	200
30x60x35	SC360U500GP	238
36x48x35	SC448U500GP	232

## Model LH

Vibration reduction 3 shelf service cart

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid - for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 12"
- Overall height - 39"
- Powder coated gray finish

Additional options available, see page 45 for details.



LH236N800GP

Description (WxDxH inches)	8" Semi Pneumatic Casters	8" Full Pneumatic Casters	Weight (lbs.)
24x30x39	LH230Z800GP	LH230N800GP	146
24x36x39	LH236Z800GP	LH236N800GP	162
24x48x39	LH248Z800GP	LH248N800GP	192
30x36x39	LH336Z800GP	LH336N800GP	186
30x48x39	LH348Z800GP	LH348N800GP	224

## Model SF

Extra durable 3 shelf cart

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves with under bracing, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips down (flush) on top shelf and up on bottom shelf
- Clearance between shelves - 12"
- Overall height - 36"
- Powder coated gray finish

Additional options available, see page 45 for details.



SF236P600GP

Description (WxDxH inches)	6" Phenolic Casters	Weight (lbs.)
24x30x36	SF230P600GP	142
24x36x36	SF236P600GP	158
24x48x36	SF248P600GP	192
30x36x36	SF336P600GP	184
30x48x36	SF348P600GP	222
30x60x36	SF360P600GP	262
36x48x36	SF448P600GP	254

## Model LG

Tubular frame utility carts

**Product Features:**

- All welded construction (except casters)
- 1" square tube construction with 12-gauge caster mounts for long lasting use
- Raised offset handle (10" above top shelf) with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Clearance between shelves - 18"
- Overall height (excluding handle) - 27"
- Powder coated gray finish

Additional options available, see page 45 for details.



LG236U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
24x36x27	LG236U500GP	62
24x48x27	LG248U500GP	68

## Model NV

Specialized easy entry utility carts

**Product Features:**

- 1-1/4" tubular center support posts
- 1-1/2" shelf lips down (flush) on top shelf and lips up for retention on bottom shelf
- All welded construction (except casters), with durable 12-gauge steel shelf, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Clearance between shelves - 25"
- Overall height - 35"
- Powder coated gray finish

Additional options available, see page 45 for details.



NV236U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
24x36x35	NV236U500GP	104
24x48x35	NV248U500GP	124

## Model SL

Low flush top shelf cart

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves with under bracing, and 12-gauge caster mounts for long lasting use
- Raised offset handle (12" above top shelf)
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf
- Clearance between shelves - 17"
- Top shelf height - 27"
- Powder coated gray finish

Additional options available, see page 45 for details.



SL236U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
18x24x27	SL124U500GP	72
18x30x27	SL130U500GP	80
18x36x27	SL136U500GP	88
24x30x27	SL230U500GP	96
24x36x27	SL236U500GP	106
24x48x27	SL248U500GP	126
30x36x27	SL336U500GP	122
30x48x27	SL348U500GP	148
30x60x27	SL360U500GP	174
36x48x27	SL448U500GP	170

## Model SS

Vibration reduction low flush top service cart

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves with under bracing, and 12-gauge caster mounts for long lasting use
- Raised offset handle (12" above top shelf)
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf
- Clearance between shelves - 17"
- Top shelf height - 31"
- Powder coated gray finish

Additional options available, see page 45 for details.



SS236N800GP

Description (WxDxH inches)	8" Semi Pneumatic Casters	Weight (lbs.)
24x30x31	SS230Z800GP	120
24x36x31	SS236Z800GP	130
24x48x31	SS248Z800GP	152
30x36x31	SS336Z800GP	148
30x48x31	SS348Z800GP	174
30x60x31	SS360Z800GP	198
36x48x31	SS448Z800GP	196

## Model SX

Extra durable 2 shelf cart with raised handle

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves with under bracing, and 12-gauge caster mounts for long lasting use
- Raised offset handle (12" above top shelf)
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf
- Clearance between shelves - 17"
- Top shelf height - 28"
- Powder coated gray finish

Additional options available, see page 45 for details.



SX360P600GP

Description (WxDxH inches)	6" Phenolic Casters	Weight (lbs.)
24x30x28	SX230P600GP	122
24x36x28	SX236P600GP	134
24x48x28	SX248P600GP	156
30x36x28	SX336P600GP	152
30x48x28	SX348P600GP	178
30x60x28	SX360P600GP	206
36x48x28	SX448P600GP	200

## Model SW

*Super heavy-duty 2 shelf cart with raised handle*

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves with under bracing, and 12-gauge caster mounts for long lasting use
- Raised offset handle (12" above top shelf)
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips down (flush) on top shelf and lips up on bottom shelf
- Clearance between shelves - 17"
- Top shelf height - 30"
- Powder coated gray finish

**Additional options available, see page 45 for details.**



SW248P800GP

Description (WxDxH inches)	8" Phenolic Casters	Weight (lbs.)
24x30x17	SW230P800GP	134
24x36x17	SW236P800GP	148
24x48x17	SW248P800GP	176
30x36x17	SW336P800GP	166
30x48x17	SW348P800GP	198
30x60x17	SW360P800GP	232
36x48x17	SW448P800GP	220

## Model ES

*2 shelf service cart with ergonomic handle*

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Ergonomic tubular handle (4" above top shelf) with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 25"
- Overall height (excluding handle) - 35"
- Powder coated gray finish

**Additional options available, see page 45 for details.**



ES236U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
18x36x35	ES136U500GP	90
24x30x35	ES230U500GP	98
24x36x35	ES236U500GP	108
24x48x35	ES248U500GP	128
30x36x35	ES336U500GP	124
30x48x35	ES348U500GP	150
30x60x35	ES360U500GP	174
36x48x35	ES448U500GP	172

## Model LR

*Vibration reduction 2 shelf service cart with ergonomic handle*

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Ergonomic tubular handle (4" above top shelf) with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 25"
- Overall height (excluding handle) - 39"
- Powder coated gray finish

**Additional options available, see page 45 for details.**



LR248Z800GP

Description (WxDxH inches)	8" Semi Pneumatic Casters	Weight (lbs.)
24x30x39	LR230Z800GP	122
24x48x39	LR248Z800GP	152
30x36x39	LR336Z800GP	150
30x48x39	LR348Z800GP	174
30x60x39	LR360Z800GP	200
36x48x39	LR448Z800GP	196

## Model ER

Extra durable 2 shelf service cart with ergonomic handle

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Ergonomic tubular handle (4" above top shelf) with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 25"
- Overall height (excluding handle) - 36"
- Powder coated gray finish

Additional options available, see page 45 for details.



ER248P600GP

Description (WxDxH inches)	6" Phenolic Casters	Weight (lbs.)
24x30x36	ER230P600GP	124
24x36x36	ER236P600GP	134
24x48x36	ER248P600GP	158
30x36x36	ER336P600GP	152
30x48x36	ER348P600GP	180
30x60x36	ER360P600GP	206
36x48x36	ER448U600GP	200

## Model EN

Super heavy duty 2 shelf service cart with ergonomic handle

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Ergonomic tubular handle (4" above top shelf) with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 25"
- Overall height (excluding handle) - 38"
- Powder coated gray finish

Additional options available, see page 45 for details.



EN248P800GP

Description (WxDxH inches)	8" Phenolic Casters	Weight (lbs.)
24x36x38	EN236P800GP	150
24x48x38	EN248P800GP	178
30x36x38	EN336P800GP	166
30x48x38	EN348P800GP	200
30x60x38	EN360P800GP	232
36x48x38	EN448P800GP	222

## Model ET

3 shelf service cart with ergonomic handle

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Ergonomic handle (4" above top shelf) with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 12"
- Overall height (excluding handle) - 35"
- Powder coated gray finish

Additional options available, see page 45 for details.



ET236U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
24x36x35	ET236U500GP	140
24x48x35	ET248U500GP	170

## Model EF

Extra durable 3 shelf service cart with ergonomic handle

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Ergonomic handle (4" above top shelf) with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 12"
- Overall height (excluding handle) - 36"
- Powder coated gray finish

Additional options available, see page 45 for details.



EF236U600GP

UP TO  
2400  
LBS.

Description (WxDxH inches)	6" Phenolic Casters	Weight (lbs.)
24x30x36	EF230P600GP	144
24x36x36	EF236P600GP	160
30x48x36	EF348P600GP	224
30x60x36	EF360P600GP	264
36x48x36	EF448P600GP	245

## Model LT

3" deep lipped 2 shelf service cart

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- 3" shelf lips up for retention
- Tubular handle with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Clearance between shelves - 22"
- Overall height - 35"
- Powder coated gray finish

Additional options available, see page 45 for details.



LT236U500GP

UP TO  
1200  
LBS.

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
18x30x35	LT130U500GP	90
18x36x35	LT136U500GP	100
24x30x35	LT230U500GP	106
24x36x35	LT236U500GP	118
24x48x35	LT248U500GP	140

## Model EG

3" deep lipped 2 shelf service cart with ergonomic handle

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- 3" shelf lips up for retention
- Ergonomic handle with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Clearance between shelves - 22"
- Overall height (excluding handle) - 35"
- Powder coated gray finish

Additional options available, see page 45 for details.



EG136U500GP

UP TO  
1200  
LBS.

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
18x30x35	EG130U500GP	92
18x36x35	EG136U500GP	102
24x30x35	EG230U500GP	108
24x36x35	EG236U500GP	120



## Model LN

3" deep lipped 3 shelf service cart

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- 3" shelf lips up for retention
- Tubular handle with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Clearance between shelves - 9"
- Overall height - 35"
- Powder coated gray finish

Additional options available, see page 45 for details.



LN230U500GP

UP TO  
**1200**  
LBS.

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
18x30x35	<b>LN130U500GP</b>	120
18x36x35	<b>LN136U500GP</b>	132
24x30x35	<b>LN230U500GP</b>	142
24x36x35	<b>LN236U500GP</b>	158
24x48x35	<b>LN248U500GP</b>	192

## Model NT

Extra durable 3" deep lipped 2 shelf service cart

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- 3" shelf lips up for retention
- Tubular handle with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Clearance between shelves - 22"
- Overall height - 36"
- Powder coated gray finish

Additional options available, see page 45 for details.



NT230P600GP

UP TO  
**2400**  
LBS.

Description (WxDxH inches)	6" Phenolic Casters	Weight (lbs.)
18x30x36	<b>NT130P600GP</b>	120
18x36x36	<b>NT136P600GP</b>	130
24x30x36	<b>NT230P600GP</b>	136
24x36x36	<b>NT236P600GP</b>	148
24x48x36	<b>NT248P600GP</b>	172

## Model LS

6" deep lipped 2 shelf service cart

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 6" shelf lips up for retention
- Tubular handle with smooth radius bend
- Clearance between shelves - 16"
- Overall height - 35"
- Powder coated gray finish

Additional options available, see page 45 for details.



LS230U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
18x30x35	LS130U500GP	110
18x36x35	LS136U500GP	122
24x30x35	LS230U500GP	130
24x36x35	LS236U500GP	144
24x48x35	LS248U500GP	172

## Model EK

6" deep lipped 2 shelf service cart with ergonomic handle

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 6" shelf lips up for retention
- Ergonomic handle with smooth radius bend
- Clearance between shelves - 16"
- Overall height (excluding handle) - 35"
- Powder coated gray finish

Additional options available, see page 45 for details.



EK230U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
18x30x35	EK130U500GP	112
18x36x35	EK136U500GP	124
24x30x35	EK230U500GP	132
24x36x35	EK236U500GP	146
24x48x35	EK248U500GP	174

## Model SG

Specialized low profile 2 shelf utility carts with raised horizontal handle

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Raised level tubular handle (5" above top shelf) with smooth radius bend
- 1-1/2" shelf lips up for retention
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Clearance between shelves - 20"
- Overall height (excluding handle) - 30"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO  
**1200**  
LBS.

SG236U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
18x24x30	SG124U500GP	72
18x30x30	SG130U500GP	80
18x36x30	SG136U500GP	88
24x30x30	SG230U500GP	96
24x36x30	SG236U500GP	106
24x48x30	SG248U500GP	126
30x36x30	SG336U500GP	122
30x48x30	SG348U500GP	148
36x48x30	SG448U500GP	170

## Model SH

Specialized low profile 2 shelf utility carts with vertical handle

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Vertical straight handle (10" above top shelf)
- 1-1/2" shelf lips up for retention
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Clearance between shelves - 17"
- Overall height (excluding handle) - 27"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO  
**1200**  
LBS.

SH236U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
18x30x27	SH130U500GP	80
18x36x27	SH136U500GP	88
24x30x27	SH230U500GP	96
24x36x27	SH236U500GP	106
24x48x27	SH248U500GP	126
30x36x27	SH336U500GP	122
30x48x27	SH348U500GP	148
36x48x27	SH448U500GP	170

## Model NC

Heavy duty 3 shelf truck with ergonomic handle

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts
- Ergonomic tubular handle with smooth radius bend for comfort
- Bolt on casters, 2 swivel and 2 rigid for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 17"
- Overall height - 48"
- Powder coated gray finish

Additional options available, see page 45 for details.



NC248P600GP

Description (WxDxH inches)	6" Phenolic Casters	Weight (lbs.)
24x36x48	NC236P600GP	158
24x48x48	NC248P600GP	188
24x60x48	NC260P600GP	218
30x48x48	NC348P600GP	218
30x60x48	NC360P600GP	254

## Model ND

Heavy duty 4 shelf truck with ergonomic handle

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts
- Ergonomic tubular handle with smooth radius bend for comfort
- Bolt on casters, 2 swivel and 2 rigid for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 15"
- Overall height - 60"
- Powder coated gray finish

Additional options available, see page 45 for details.



ND248P600GP

Description (WxDxH inches)	6" Phenolic Casters	Weight (lbs.)
24x36x60	ND236P600GP	198
24x48x60	ND248P600GP	236
30x48x60	ND348P600GP	276
30x60x60	ND360P600GP	324

## Model NE

Heavy duty 5 shelf truck with ergonomic handle

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts
- Ergonomic tubular handle with smooth radius bend for comfort
- Bolt on casters, 2 swivel and 2 rigid for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 13"
- Overall height - 68"
- Powder coated gray finish

Additional options available, see page 45 for details.



NE248P600GP

Description (WxDxH inches)	6" Phenolic Casters	Weight (lbs.)
24x36x68	NE236P600GP	234
24x48x68	NE248P600GP	284
24x60x68	NE260P600GP	332
30x60x68	NE360P600GP	392
30x72x68	NE372P600GP	452
36x72x68	NE472P600GP	522

## Model CC

Heavy duty 3 shelf stock truck

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 17"
- Overall height - 48"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO 3000 LBS.

CC260P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x48	CC236P600GP	CC236U600GP	156
24x48x48	CC248P600GP	CC248U600GP	186
24x60x48	CC260P600GP	CC260U600GP	216
30x48x48	CC348P600GP	CC348U600GP	216
30x60x48	CC360P600GP	CC360U600GP	252
36x72x48	CC472P600GP	CC472U600GP	332

## Model SO

2 shelf order picking cart with writing stand

**Product Features:**

- All welded construction (except casters)
- Writing stand 12" by width of cart (4" above top shelf)
- Durable 12-gauge steel shelves, 12-gauge caster mounts, and tubular handle with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 25"
- Overall height (excluding handle) - 35"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO 1200 LBS.

SO248U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
18x30x35	SO130U500GP	88
18x36x35	SO136U500GP	96
24x30x35	SO230U500GP	106
24x36x35	SO236U500GP	116
24x48x35	SO248U500GP	136
30x36x35	SO336U500GP	136
30x48x35	SO348U500GP	162
30x60x35	SO360U500GP	186
36x48x35	SO448U500GP	186

## Model LO

3 shelf order picking cart with writing stand

**Product Features:**

- All welded construction (except casters)
- Writing stand 12" by width of cart (4" above top shelf)
- Durable 12-gauge steel shelves, 12-gauge caster mounts, and tubular handle with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 12"
- Overall height (excluding handle) - 35"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO 1200 LBS.

LO248U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
18x30x35	LO130U500GP	110
18x36x35	LO136U500GP	122
24x30x35	LO230U500GP	134
24x36x35	LO236U500GP	150
24x48x35	LO248U500GP	180
30x36x35	LO336U500GP	176
30x48x35	LO348U500GP	214
30x60x35	LO360U500GP	252
36x48x35	LO448U500GP	246

## Model CO

Heavy duty 3 shelf stock truck with built in writing stand for record keeping

**Product Features:**

- Writing stand 12" deep by width of cart
- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts
- Bolt on casters, 2 swivel and 2 rigid for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 17"
- Overall height - 48"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO  
3000  
LBS.

CO248P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x48	CO236P600GP	CO23600GPU6	166
24x48x48	CO248P600GP	CO248U600GP	196
24x60x48	CO260P600GP	CO260U600GP	226
30x48x48	CO348P600GP	CO348U600GP	228
30x60x48	CO360P600GP	CO360U600GP	264

## Model DO

Heavy duty 4 shelf stock truck with built in writing stand for record keeping

**Product Features:**

- Writing stand 12" deep by width of cart
- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts
- Bolt on casters, 2 swivel and 2 rigid for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 15"
- Overall height - 60"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO  
3000  
LBS.

DO236P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x60	DO236P600GP	DO236U600GP	206
24x48x60	DO248P600GP	DO248U600GP	244
24x60x60	DO260P600GP	DO260U600GP	284
30x48x60	DO348P600GP	DO348U600GP	286

## Model EO

Heavy duty 5 shelf stock truck with built in writing stand for record keeping

**Product Features:**

- Writing stand 12" deep by width of cart
- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts
- Bolt on casters, 2 swivel and 2 rigid for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 13"
- Overall height - 68"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO  
3000  
LBS.

EO248P600GP

Description (WxDxH inches)	6" Phenolic Casters	Weight (lbs.)
24x36x68	EO236P600GP	224
24x48x68	EO248P600GP	294
24x60x68	EO260P600GP	342
30x48x68	EO348P600GP	342
36x72x68	EO472P600GP	532

## Model CD

Heavy duty 4 shelf stock truck

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 15"
- Overall height - 60"
- Powder coated gray finish

Additional options available, see page 45 for details.



CD236P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x60	CD236P600GP	CD236U600GP	196
24x48x60	CD248P600GP	CD248U600GP	234
24x60x60	CD260P600GP	CD260U600GP	274
30x48x60	CD348P600GP	CD348U600GP	274
30x60x60	CD360P600GP	CD360U600GP	322
36x72x60	CD472P600GP	CD472U600GP	428

## Model CE

Heavy duty 5 shelf stock truck

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 13"
- Overall height - 68"
- Powder coated gray finish

Additional options available, see page 45 for details.



CE248P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x68	CE236P600GP	CE236U600GP	232
24x48x68	CE248P600GP	CE248U600GP	282
24x60x68	CE260P600GP	CE260U600GP	330
30x48x68	CE348P600GP	CE348U600GP	330
30x60x68	CE360P600GP	CE360U600GP	390
36x72x68	CE472P600GP	CE472U600GP	520

## Model CF

Heavy duty 6 shelf stock truck

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 11"
- Overall height - 72"
- Powder coated gray finish

Additional options available, see page 45 for details.



CF248P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x72	CF236P600GP	CF236U600GP	266
24x48x72	CF248P600GP	CF248U600GP	326
24x60x72	CF260P600GP	CF260U600GP	348
30x48x72	CF348P600GP	CF348U600GP	384
30x60x72	CF360P600GP	CF360U600GP	456
36x72x72	CF472P600GP	CF472U600GP	598

## Model CZ

Heavy duty adjustable shelf stock truck

### Product Features:

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" bottom shelf lips up for retention
- Adjustable middle shelf is standard - adjustable on 3-1/2" centers
- Adjustable shelf is flush only
- Overall height - 57"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO  
3000  
LBS.

CZ248P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x57	CZ236P600GP	CZ236U600GP	176
24x48x57	CZ248P600GP	CZ248U600GP	198
24x60x57	CZ260P600GP	CZ260U600GP	218
30x48x57	CZ348P600GP	CZ348U600GP	224
30x60x57	CZ360P600GP	CZ360U600GP	248
36x72x57	CZ472P600GP	CZ472U600GP	308

## Model EC

Heavy duty clear view mesh end 3 shelf truck

### Product Features:

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Two sided entry for ease of access
- Two ends flattened 13-gauge expanded mesh 4' high
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 15"
- Overall height - 57"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO  
3000  
LBS.

EC248P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x57	EC236P600GP	EC236U600GP	180
24x48x57	EC248P600GP	EC248U600GP	210
30x48x57	EC348P600GP	EC348U600GP	250

## Model ED

Heavy duty clear view mesh end 4 shelf truck

### Product Features:

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Two sided entry for ease of access
- Two ends flattened 13-gauge expanded mesh 4' high
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 13"
- Overall height - 57"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO  
3000  
LBS.

ED248P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x57	ED236P600GP	ED236U600GP	212
24x48x57	ED248P600GP	ED248U600GP	252
30x48x57	ED348P600GP	ED348U600GP	302



## Model KB

Heavy duty clear view slat end 2 shelf truck

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Two sided entry for ease of access
- Two ends 1"x3/16" steel slats on 6" centers, 4' high
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 22"
- Overall height - 57"
- Powder coated gray finish

Additional options available, see page 45 for details.



KB260P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x60x57	KB260P600GP	KB260U600GP	192
30x60x57	KB360P600GP	KB360U600GP	252

## Model DD

Heavy duty solid end 4 shelf truck

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Two sided entry for ease of access
- Two ends 14-gauge steel 4' high
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 13"
- Overall height - 57"
- Powder coated gray finish

Additional options available, see page 45 for details.



DD360P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x48x57	DD248P600GP	DD248U600GP	270
30x60x57	DD360P600GP	DD360U600GP	378

## Model ZA

Heavy duty truck with 3 mesh sides for large packages

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Limited access one side
- Three sides flattened 13-gauge expanded mesh 4' high
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" bottom shelf lips up for retention
- Overall height - 57"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO  
2000  
LBS.

ZA360P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x57	ZA236P600GP	ZA236U600GP	136
24x48x57	ZA248P600GP	ZA248U600GP	152
24x60x57	ZA260P600GP	ZA260U600GP	172
30x48x57	ZA348P600GP	ZA348U600GP	170
30x60x57	ZA360P600GP	ZA360U600GP	200
36x72x57	ZA472P600GP	ZA472U600GP	244

## Model ZB

Heavy duty truck with 3 mesh sides and 2 shelves

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Limited access one side
- Three sides flattened 13-gauge expanded mesh 4' high
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 22"
- Overall height - 57"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO  
3000  
LBS.

ZB360P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x57	ZB236P600GP	ZB236U600GP	170
24x48x57	ZB248P600GP	ZB248U600GP	196
24x60x57	ZB260P600GP	ZB260U600GP	220
30x48x57	ZB348P600GP	ZB348U600GP	222
30x60x57	ZB360P600GP	ZB360U600GP	252
36x72x57	ZB472P600GP	ZB472U600GP	320

## Model ZC

Heavy duty truck with 3 mesh sides and 3 shelves

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Limited access one side
- Three sides flattened 13-gauge expanded mesh 4' high
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 15"
- Overall height - 57"
- Powder coated gray finish

Additional options available, see page 45 for details.



ZC360P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x57	ZC236P600GP	ZC236U600GP	202
24x48x57	ZC248P600GP	ZC248U600GP	238
24x60x57	ZC260P600GP	ZC260U600GP	274
30x60x57	ZC360P600GP	ZC360U600GP	318
36x72x57	ZC472P600GP	ZC472U600GP	410

## Model ZD

Heavy duty truck with 3 mesh sides and 4 shelves

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Limited access one side
- Three sides flattened 13-gauge expanded mesh 4' high
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 13"
- Overall height - 57"
- Powder coated gray finish

Additional options available, see page 45 for details.



ZD248P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x57	ZD236P600GP	ZD236U600GP	226
24x48x57	ZD248P600GP	ZD248U600GP	270
24x60x57	ZD260P600GP	ZD260U600GP	314
30x48x57	ZD348P600GP	ZD348U600GP	316
30x60x57	ZD360P600GP	ZD360U600GP	368
36x72x57	ZD472P600GP	ZD472U600GP	484

## Model ZR

Heavy duty truck with 3 mesh sides and 1 adjustable shelf

**Product Features:**

- All welded construction (except casters and adjustable shelf)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Limited access one side
- Three sides flattened 13-gauge expanded mesh 4' high
- Adjustable middle shelf is standard - adjustable on 3-1/2" centers
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips up for retention on bottom shelf only, adjustable shelf is flush only
- Overall height - 57"
- Powder coated gray finish

Additional options available, see page 45 for details.



ZR248P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x57	ZR236P600GP	ZR236U600GP	184
24x48x57	ZR248P600GP	ZR248U600GP	208
24x60x57	ZR260P600GP	ZR260U600GP	234
30x48x57	ZR348P600GP	ZR348U600GP	236
30x60x57	ZR360P600GP	ZR360U600GP	264

## Model VA

Heavy duty 1 shelf secured cart with mesh sides

**Product Features:**

- All welded construction (except casters)
- Four sides flattened 13-gauge expanded mesh 4' high and top cover
- 2 flattened 13-gauge expanded mesh doors on one side with lockable hasp (padlock not included)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Shelf lips down (flush)
- Clearance between shelves - 46"
- Overall height - 57"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO 2000 LBS.

VA360P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x48x57	VA248P600GP	VA248U600GP	230
24x60x57	VA260P600GP	VA260U600GP	266
30x48x57	VA348P600GP	VA348U600GP	256
30x60x57	VA360P600GP	VA360U600GP	290
36x72x57	VA472P600GP	VA472U600GP	346

Note: Doors add 4" to depth

## Model VB

Heavy duty 2 shelf secured cart with mesh sides

**Product Features:**

- All welded construction (except casters)
- Four sides flattened 13-gauge expanded mesh 4' high and top cover
- 2 flattened 13-gauge expanded mesh doors on one side with lockable hasp (padlock not included)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Shelf lips down (flush)
- Clearance between shelves - 22"
- Overall height - 57"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO 3000 LBS.

VB360P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x48x57	VB248P600GP	VB248U600GP	274
24x60x57	VB260P600GP	VB260U600GP	314
30x48x57	VB348P600GP	VB348U600GP	306
30x60x57	VB360P600GP	VB360U600GP	350
36x72x57	VB472P600GP	VB472U600GP	430

Note: Doors add 4" to depth

## Model VC

Heavy duty 3 shelf secured cart with mesh sides

**Product Features:**

- All welded construction (except casters)
- Four sides flattened 13-gauge expanded mesh 4' high and top cover
- 2 flattened 13-gauge expanded mesh doors on one side with lockable hasp (padlock not included)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Shelf lips down (flush)
- Clearance between shelves - 15"
- Overall height - 57"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO 3000 LBS.

VC360P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x48x57	VC248P600GP	VC248U600GP	318
24x60x57	VC260P600GP	VC260U600GP	368
30x48x57	VC348P600GP	VC348U600GP	360
30x60x57	VC360P600GP	VC360U600GP	414
36x72x57	VC472P600GP	VC472U600GP	520

Note: Doors add 4" to depth

## Model VD

Heavy duty 4 shelf secured cart with mesh sides

**Product Features:**

- All welded construction (except casters)
- Four sides flattened 13-gauge expanded mesh 4' high and top cover
- 2 flattened 13-gauge expanded mesh doors on one side with lockable hasp (padlock not included)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Shelf lips down (flush)
- Clearance between shelves - 10"
- Overall height - 57"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO 3000 LBS.

VD360P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x48x57	VD248P600GP	VD248U600GP	360
24x60x57	VD260P600GP	VD260U600GP	420
30x48x57	VD348P600GP	VD348U600GP	414
30x60x57	VD360P600GP	VD360U600GP	480
36x72x57	VD472P600GP	VD472U600GP	616

Note: Doors add 4" to depth

## Model VR

Heavy duty adjustable shelf secured cart with mesh sides

**Product Features:**

- All welded construction (except casters and adjustable shelf)
- Four sides flattened 13-gauge expanded mesh 4' high and top cover
- 2 flattened 13-gauge expanded mesh doors on one side with lockable hasp (padlock not included)
- Adjustable middle shelf is standard - adjustable on 3-1/2" centers
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Shelf lips down (flush)
- Overall height - 57"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO 3000 LBS.

VR360P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x48x57	VR248P600GP	VR248U600GP	298
24x60x57	VR260P600GP	VR260U600GP	342
30x48x57	VR348P600GP	VR348U600GP	330
30x60x57	VR360P600GP	VR360U600GP	378
36x72x57	VR472P600GP	VR472U600GP	458

Note: Doors add 4" to depth

### Mobile Cart, Truck, Cabinet, & Table Options:

Contact customer service for pricing information

- Top shelf lips down (flush)
- All shelves lips down (flush)
- All swivel casters (4)
- Wheel brakes on the 2 swivel casters
- Floor lock (centered on handle end)
- Adjustable shelves lips down (flush), Model CZ & VR only

Options not available on all carts, trucks, cabinets or tables. Please contact us for additional details.

## Model PN

*Steel flatbed transporter with pneumatic casters*

**Product Features:**

- All welded construction (except casters and removable handle)
- Durable 12-gauge steel platform, and 12-gauge caster mounts for long lasting use
- 1-1/4" tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Platform height - 12" (flush)
- Handle height above deck - 30"
- Powder coated gray finish

**Additional options available, see page 45 for details.**



PN248N800GP

Description (WxDxH inches)	8" Semi Pneumatic Casters	8" Full Pneumatic Casters	Weight (lbs.)
18x36x12	PN136Z800GP	PN136N800GP	94
24x36x12	PN236Z800GP	PN236N800GP	104
24x48x12	PN248Z800GP	PN248N800GP	122
30x48x12	PN348Z800GP	PN348N800GP	134
30x60x12	PN360Z800GP	PN360N800GP	154
30x72x12	PN372Z800GP	PN372N800GP	174
36x72x12	PN472Z800GP	PN472N800GP	190


## Model PT

*Steel flatbed transporter for packages and boxes*

**Product Features:**

- All welded construction (except casters and removable handle)
- Durable 12-gauge steel platform, and 12-gauge caster mounts for long lasting use
- 1-1/4" tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Platform height - 9" (flush)
- Handle height above deck - 30"
- Powder coated gray finish

**Additional options available, see page 45 for details.**



PT360U500GP

Description (WxDxH inches)	5" Urethane Casters	5" Thermorubber Casters	Weight (lbs.)
18x36x9	PT136U500GP	PT136T500GP	70
24x36x9	PT236U500GP	PT236T500GP	80
24x48x9	PT248U500GP	PT248T500GP	98
30x48x9	PT348U500GP	PT348T500GP	110
30x60x9	PT360U500GP	PT360T500GP	130
30x72x9	PT372U500GP	PT372T500GP	150
36x72x9	PT472U500GP	PT472T500GP	166

## Model PU

*Steel lips up transporter for packages and boxes*

**Product Features:**

- All welded construction (except casters and removable handle)
- Durable 12-gauge steel platform, and 12-gauge caster mounts for long lasting use
- 1-1/4" tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Platform height - 9", 1-1/2" lips up
- Handle height above deck - 30"
- Powder coated gray finish

**Additional options available, see page 45 for details.**



PU348U500GP

Description (WxDxH inches)	5" Urethane Casters	5" Thermorubber Casters	Weight (lbs.)
18x36x9	PU136U500GP	PU136T500GP	70
24x36x9	PU236U500GP	PU236T500GP	80
24x48x9	PU248U500GP	PU248T500GP	98
30x48x9	PU348U500GP	PU348T500GP	110
30x60x9	PU360U500GP	PU360T500GP	130
30x72x9	PU372U500GP	PU372T500GP	150

## Model PZ

Heavy duty steel flatbed transporter

**Product Features:**

- All welded construction (except casters and removable handle)
- Durable 12-gauge steel platform, and 12-gauge caster mounts for long lasting use
- 1-1/4" tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" platform lips down for flush load and unload
- Platform height - 9" (flush)
- Handle height above deck - 30"
- Powder coated gray finish



PZ248P700GP

Description (WxDxH inches)	5" Phenolic Casters	5" Urethane Casters	Weight (lbs.)
24x36x9	PZ236P700GP	PZ236U700GP	94
24x48x9	PZ248P700GP	PZ248U700GP	112
30x48x9	PZ348P700GP	PZ348U700GP	124
30x60x9	PZ360P700GP	PZ360U700GP	142
30x72x9	PZ372P700GP	PZ372U700GP	162

## Model PX

Extra heavy duty steel flatbed transporter

**Product Features:**

- All welded construction (except casters and removable handle)
- Durable 12-gauge steel platform, and 12-gauge caster mounts for long lasting use
- 1-1/4" tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" platform lips down for flush load and unload
- Platform height - 10"
- Handle height above deck - 30"
- Powder coated gray finish



PX248P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x10	PX236P600GP	PX236U600GP	96
24x48x10	PX248P600GP	PX248U600GP	114
30x48x10	PX348P600GP	PX348U600GP	126
30x60x10	PX360P600GP	PX360U600GP	144
30x72x10	PX372P600GP	PX372U600GP	176
36x72x10	PX472P600GP	PX472U600GP	192

## Model PW

Extra heavy duty steel flatbed transporter

**Product Features:**

- All welded construction (except casters and removable handle)
- Durable 12-gauge steel platform, and 12-gauge caster mounts for long lasting use
- 1-1/4" tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" platform lips down for flush load and unload
- Platform height - 12"
- Handle height above deck - 30"
- Powder coated gray finish



PW248P800GP

Description (WxDxH inches)	8" Phenolic Casters	Weight (lbs.)
24x36x12	PW236P800GP	110
24x48x12	PW248P800GP	128
30x48x12	PW348P800GP	140
30x60x12	PW360P800GP	162
30x72x12	PW372P800GP	184
36x72x12	PW472P800GP	200

Additional options available, see page 45 for details.

## Model FX

Steel platform truck with hardwood deck, ergonomic height

**Product Features:**

- Platform is 1" hardwood with 1-1/2" wood underbracing
- 2" square tubular frame has powder coated gray finish
- Removable 1-1/4" tubular handle with smooth radius bend mounted into sockets
- Bolt on casters, 2 rigid, 2 swivel, for easy replacement and superior cart tracking.
- Flush platform for easy load and unload
- Fixed deck height of 26", (30" with 8" casters)
- Handle height above deck is 16"
- Powder coated gray finish

Additional options available, see page 45 for details.



FX248P700GP

Description (WxDxH inches)	5" Phenolic Casters	5" Urethane Casters	Weight (lbs.)
24x48x26	<b>FX248P700GP</b>	<b>FX248U700GP</b>	118
30x60x26	<b>FX360P700GP</b>	<b>FX360U700GP</b>	142

## Model SY

Heavy duty ergonomic height steel flatbed transporter

**Product Features:**

- Durable 12-gauge steel platform
- 2" square tubular frame
- Removable 1-1/4" tubular handle with smooth radius bend mounted into sockets
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Flush deck for easy load and unload
- Fixed height: 25" high platform (29" with 8" casters)
- Handle height above deck - 16"
- Powder coated gray finish

Additional options available, see page 45 for details.



SY248P700GP

Description (WxDxH inches)	5" Phenolic Casters	5" Urethane Casters	Weight (lbs.)
24x48x25	<b>SY248P700GP</b>	<b>SY248U700GP</b>	112
30x60x25	<b>SY360P700GP</b>	<b>SY360U700GP</b>	136

## Model AS

Heavy duty ergonomic adjustable height steel flatbed transporter

**Product Features:**

- Durable 12-gauge steel platform
- 2" square tubular frame
- Removable 1-1/4" tubular handle with smooth radius bend mounted into sockets.
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Flush deck for easy load and unload
- Adjustable height: 4 heights - 25", plus 2", plus 4" and plus 6"
- Handle height above deck - 16"
- Powder coated gray finish

Additional options available, see page 45 for details.



AS248P700GP

Description (WxD inches)	5" Phenolic Casters	5" Urethane Casters	Weight (lbs.)
24x48	<b>AS248P700GP</b>	<b>AS248U700GP</b>	122
30x60	<b>AS360P700GP</b>	<b>AS360U700GP</b>	146



## Model EM

Wood deck transporter with wire basket for packages and boxes

**Product Features:**

- Durable 12-gauge steel platform capped with 3/4" sealed plywood
- Removable 2" x 2" wire mesh panels 22" high on sides and ends
- 12-gauge caster mounts for long lasting use
- Twin 1-1/4" tubular handles with panel channels are welded in place
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Flush platform for easy load and unload
- Platform height - 10", (14" with 8" casters)
- Handle height above deck - 30"
- Powder coated gray finish



UP TO  
**1200**  
LBS.

EM248U500GP

Additional options available, see page 45 for details.

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)	8" Full Pneumatic Casters	Weight (lbs.)
24x48x10,14	<b>EM248U500GP</b>	150	<b>EM248N800GP</b>	174
30x60x10,14	<b>EM360U500GP</b>	200	<b>EM360N800GP</b>	224

Note: Pneumatic casters add 4" to height

## Model PR

Steel flatbed transporter with side rails

**Product Features:**

- All welded construction (except casters and removable rails)
- Durable 12-gauge steel platform, 12-gauge caster mounts
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" platform lips down for flush load and unload
- Platform height - 9", (13" with 8" casters)
- 1-1/4" tubular removable side rails 36" above deck
- Powder coated gray finish



UP TO  
**1200**  
LBS.

PR248T500GP

Additional options available, see page 45 for details.

Description (WxDxH inches)	5" Urethane Casters	5" Thermorubber Casters	Weight (lbs.)	8" Semi Pneumatic Casters	Weight (lbs.)
18x36x9,13	<b>PR136U500GP</b>	<b>PR136T500GP</b>	92	<b>PR136Z800GP</b>	116
30x48x9,13	<b>PR348U500GP</b>	<b>PR348T500GP</b>	136	<b>PR348Z800GP</b>	160
30x60x9,13	<b>PR360U500GP</b>	<b>PR360T500GP</b>	160	<b>PR360Z800GP</b>	184
30x72x9,13	<b>PR372U500GP</b>	<b>PR372T500GP</b>	184	<b>PR372Z800GP</b>	208
36x72x9,13	<b>PR472U500GP</b>	<b>PR472T500GP</b>	200	<b>PR472Z800GP</b>	224

Note: Pneumatic casters add 4" to height

## Model PS

Heavy duty twin handle steel flatbed transporter

**Product Features:**

- All welded construction (except casters and removable handles)
- Durable 12-gauge steel platform, 12-gauge caster mounts for long lasting use
- Twin 1-1/4" tubular handles (each end) with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid
- 1-1/2" platform lips down for flush load and unload
- Platform height - 10"
- Handle height above deck - 36"
- Powder coated gray finish



UP TO  
**2000**  
LBS.

PS460P600GP

Additional options available, see page 45 for details.

Description (WxDxH inches)	6" Phenolic Casters	Weight (lbs.)
36x60x10	<b>PS460P600GP</b>	202

## Model PB

Wood capped steel flatbed transporter

**Product Features:**

- All welded construction (except casters and removable handle)
- Durable 12-gauge steel platform, capped with 3/4" sealed plywood
- 1-1/4" tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Flush platform for easy load and unload
- Platform height - 10" (14" with 8" casters)
- Handle height above deck - 30"
- Powder coated gray finish



PB248U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)	8" Semi Pneumatic Casters	Weight (lbs.)
24x48x10,14	<b>PB248U500GP</b>	118	<b>PB248Z800GP</b>	142
30x60x10,14	<b>PB360U500GP</b>	160	<b>PB360Z800GP</b>	184

Note: Pneumatic casters add 4" to height

## Model PJ

Steel flatbed transporter with diamond-patterned casters

**Product Features:**

- All welded frame construction
- Durable 12-gauge steel platform, 12-gauge caster mounts
- Handle height above platform - 30"
- Bolt on casters in a diamond pattern, 2 rigid in center and 1 swivel at each end
- 1-1/4" tubular handle
- Platform height - 9"
- Handle height above deck - 30"
- Powder coated gray finish



PJ360U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
24x36x9	<b>PJ236U500GP</b>	72
24x48x9	<b>PJ248U500GP</b>	84
30x60x9	<b>PJ360U500GP</b>	114
36x72x9	<b>PJ472U500GP</b>	142

Additional options available, see page 45 for details.

## Model NF

Heavy duty plastic deck flatbed transporter

**Product Features:**

- Welded frame construction
- HDPE-molded non-skid structural plastic deck (damage and chemical resistant surface)
- Flush platform for easy load and unload
- Bolt on casters - 5" x 2" - 2 swivel and 2 rigid
- Platform height - 10" (14" with full pneumatic casters)
- Removable 1-1/4" tubular handle is 30" above deck
- Powder coated gray finish



NF360P700GP

Description (WxDxH inches)	5" Phenolic Casters	5" Urethane Casters	Weight (lbs.)	8" Full Pneumatic Casters	Weight (lbs.)
24x48x10,14	<b>NF248P700GP</b>	<b>NF248U700GP</b>	72	<b>NF248N800GP</b>	82
30x60x10,14	<b>NF360P700GP</b>	<b>NF360U700GP</b>	96	<b>NF360N800GP</b>	106

Note: Pneumatic casters add 4" to height

Additional options available, see page 45 for details.

## Model TV

*Extra heavy duty steel wagon transporter*

**Product Features:**

- All welded frame
- 12-gauge steel deck with under bracing, 1-1/2" platform lips up for retention
- 1-1/4" tubular handle with 1" "T" handle and rubber grips
- 3/4" solid rod axles
- Deck height - 12" wheels - 19", 16" wheels - 21"
- Powder coated gray finish



TV248N200GP

Description (WxDxH inches)	12" Full Pneumatic Wheels	16" Full Pneumatic Wheels	Weight (lbs.)
24x36x19,21	<b>TV236N200GP</b>	<b>TV236N600GP</b>	114
24x48x19,21	<b>TV248N200GP</b>	<b>TV248N600GP</b>	126
30x60x19,21	<b>TV360N200GP</b>	<b>TV360N600GP</b>	156

## Model TO

*Extra heavy duty steel wagon transporter with wood deck*

**Product Features:**

- All welded frame
- 3/4" sealed plywood capped over 12-gauge steel deck with under bracing, flush deck for easy load and unload
- 1-1/4" tubular handle with 1" "T" handle and rubber grips
- 3/4" solid rod axles
- Deck height - 12" wheels - 20", 16" wheels - 22"
- Powder coated gray finish



TO248N200GP

Description (WxDxH inches)	12" Full Pneumatic Wheels	16" Full Pneumatic Wheels	Weight (lbs.)
24x48x20,22	<b>TO248N200GP</b>	<b>TO248N600GP</b>	146
30x60x20,22	<b>TO360N200GP</b>	<b>TO360N600GP</b>	200

## Model BC

Low deck 3 sided box truck for frequent loading and unloading of packages

### Product Features:

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and top frame, and 12-gauge caster mounts for long lasting use
- Sides are 20" high 14-gauge steel
- Top shelf (deck of box) is 20" high
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 12"
- Overall height - 40", (44" with 8" casters)
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO  
**1200**  
LBS.

BC248U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
36x18x40	<b>BC136U500GP</b>	132
36x24x40	<b>BC236U500GP</b>	160
48x24x40	<b>BC248U500GP</b>	190
48x30x40	<b>BC348U500GP</b>	212

## Model BL

"Box on Wheels", low profile box truck

### Product Features:

- All welded construction (except casters)
- Durable 12-gauge steel bottom shelf, and top frame, and 12-gauge caster mounts for long lasting use
- 4 sides are 20" high 14-gauge steel
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Overall height - 27", (31" with 8" casters)
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO  
**1200**  
LBS.

BL248U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
36x18x27	<b>BL136U500GP</b>	122
36x24x27	<b>BL236U500GP</b>	140
48x24x27	<b>BL248U500GP</b>	164
48x30x27	<b>BL348U500GP</b>	184
60x30x27	<b>BL360U500GP</b>	212

## Model GD

Low deck 4 sided mesh box truck with lower shelf

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and top frame, and 12-gauge caster mounts for long lasting use
- 4 sides are 20" high flattened 13-gauge expanded mesh
- Top shelf (deck of box) is 20" high
- 1-1/2" angle reinforces top edges
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid for easy replacement
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 12"
- Overall height - 40", (44" w 8" casters)
- Powder coated gray finish

Additional options available, see page 45 for details.



GD236U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
36x18x40,44	<b>GD136U500GP</b>	120
36x24x40,44	<b>GD236U500GP</b>	140
48x24x40,44	<b>GD248U500GP</b>	168
48x30x40,44	<b>GD348U500GP</b>	194
60x30x40,44	<b>GD360U500GP</b>	224

## Model GL

"Box on Wheels"; low profile mesh box truck

**Product Features:**

- All welded construction (except casters and drop gate)
- 4 sides are 20" high flattened 13-gauge expanded mesh
- 1-1/2" angle reinforces top edge on 4 sides
- Durable 12-gauge steel shelves, and top frame, and 12 gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Overall height - 27", (31" with 8" casters)
- Powder coated gray finish

Additional options available, see page 45 for details.



GL248U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
36x18x27,31	<b>GL136U500GP</b>	86
36x24x27,31	<b>GL236U500GP</b>	100
48x24x27,31	<b>GL248U500GP</b>	116
48x30x27,31	<b>GL348U500GP</b>	132
60x30x27,31	<b>GL360U500GP</b>	150

## Model GX

Low profile mesh box truck with removable drop gate

**Product Features:**

- All welded construction (except casters and drop gate)
- Limited access one side
- 3 sides are 3' high flattened 13-gauge expanded mesh
- 4th side retention uses removable 1/4" wire rod drop gate, hinged in horizontal middle, 2" x 2" wire with double wire perimeter
- 1-1/2" shelf lips up for retention
- Durable 12-gauge steel shelves, and top frame, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Overall height - 44", (48" with 8" casters)
- Powder coated gray finish

Additional options available, see page 45 for details.



GX360U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
48x24x44,48	<b>GX248U500GP</b>	160
60x24x44,48	<b>GX260U500GP</b>	182
48x30x44,48	<b>GX348U500GP</b>	190
60x30x44,48	<b>GX360U500GP</b>	216

## Model PG

Heavy duty steel deck transporter for upright panels and sheets

### Product Features:

- All welded construction (except casters and removable dividers)
- Durable 12-gauge steel platform, and 12-gauge caster mounts for long lasting use
- 6 removable 1-1/4" tubular dividers with smooth radius bend for safety and uniform appearance - 2 each: 12" high, 24" high, 36" high
- 7 divider sockets at each end
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Platform flush for easy load and unload
- Deck height - 9", (12" with 8" casters)
- Overall height - 45", (48" with 8" casters)
- Powder coated gray finish

Additional options available, see page 45 for details.



PG248P700GP

Description (WxDxH inches)	6" Phenolic Casters	Weight (lbs.)
24x36x9,12	<b>PG236P600GP</b>	142
24x48x9,12	<b>PG248P600GP</b>	166
30x60x9,12	<b>PG360P600GP</b>	204
36x72x9,12	<b>PG472P600GP</b>	246

## Model TA

Heavy duty steel transporter for upright panels and sheets with 7 divider positions

### Product Features:

- All welded construction (except casters and removable dividers)
- Durable 12-gauge steel platform with underbracing, and 12-gauge caster mounts for long lasting use
- 2 removable 1-1/4" tubular dividers with smooth radius bend for safety: 36" high
- 7 divider sockets at each end
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Platform flush for easy load and unload
- Deck height - 9", (12" with 8" casters)
- Overall height - 45", (48" with 8" casters)
- Powder coated gray finish

Additional options available, see page 45 for details.



TA472P700GP

Description (WxDxH inches)	5" Phenolic Casters	Weight (lbs.)
24x36x9,12	<b>TA236P700GP</b>	116
24x48x9,12	<b>TA248P700GP</b>	138
30x60x9,12	<b>TA360P700GP</b>	174
36x72x9,12	<b>TA472P700GP</b>	212

## Model PF

Heavy duty steel transporter with fixed dividers

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel platform with underbracing, and 12-gauge caster mounts for long lasting use
- 4 fixed 1-1/4" tubular dividers with smooth radius bend for safety: 2 each: 24" high, 36" high
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Platform flush for easy load and unload
- Deck height - 9", (12" with 8" casters)
- Overall height - 45", (48" with 8" casters)
- Powder coated gray finish

Additional options available, see page 45 for details.



PF236P700GP

Description (WxDxH inches)	5" Phenolic Casters	Weight (lbs.)
24x36x9	<b>PF236P700GP</b>	112
24x48x9	<b>PF248P700GP</b>	134

## Model TF

Versatile steel frame transporter for material moved on its edge

**Product Features:**

- All welded frame construction
- Durable steel frame with 3 sockets on each end
- 3 removable 1-1/4" tubular dividers with smooth radius bend - 27" high
- Load space between dividers - 12"
- Bolt on 5" x 1-1/4" urethane swivel casters, for easy replacement
- Platform height - 8"
- Overall height - 35"
- Powder coated gray finish



TF831U503GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
28x31x8	<b>TF831U503GP</b>	66

## Model TG

Versatile carpeted rail transporter for material moved on its edge

**Product Features:**

- All welded frame construction
- Durable steel frame with 3 sockets on each end
- 3 removable 1-1/4" tubular dividers with smooth radius bend - 27" high
- Load space between dividers - 12"
- Bolt on casters, for easy replacement
- Includes 2 carpeted 2" x 3" wood rails
- 5" x 1-1/4" urethane swivel casters
- Platform height - 10"
- Overall height - 35"
- Powder coated gray finish.



TG831U503GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
28x31x10	<b>TG831U503GP</b>	70

## Model TY

Versatile steel deck transporter for material moved on its edge

**Product Features:**

- All welded frame construction
- Durable steel frame with 3 sockets on each end
- 3 removable 1-1/4" tubular dividers with smooth radius bend - 27" high
- Load space between dividers - 12"
- Bolt on casters, for easy replacement
- Includes 12-gauge flush deck
- 5" x 2" urethane swivel casters
- Platform height - 10"
- Overall height - 36"
- Powder coated gray finish.



TY831

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
28x31x10	<b>TY831U703GP</b>	95

## Model CS

### Single cardboard carton truck

**Product Features:**

- All welded construction (except casters, removable handles and rails)
- Durable 12-gauge steel platforms, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend
- Sockets are 6" apart. NOTE: Side sockets add 3" to truck width
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" platform lips down for flush load and unload
- 1" removable tubular divider rails - 26" high, (3 per level)
- Platform deck height - 9"
- Overall height - 34", (38" with 8" casters)
- Powder coated gray finish



CS248U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)	8" Full Pneumatic Casters	Weight (lbs.)
24x48x34,38	<b>CS248U500GP</b>	112	<b>CS248N800GP</b>	136

Note: Pneumatic casters add 4" to height

**Additional options available, see page 45 for details.**

## Model CP

### Two level cardboard carton truck

**Product Features:**

- All welded construction (except casters, removable handles and rails)
- Durable 12-gauge steel platforms, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend
- Sockets are 6" apart. NOTE: Side sockets add 3" to truck width
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" platform lips down for flush load and unload
- 1" removable tubular divider rails - 26" high, (3 per level)
- Clearance between shelves 34"
- Platform deck height - 9"; 45" second level
- Overall height - 70", (74" with 8" casters)
- Powder coated gray finish



CP248U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)	8" Full Pneumatic Casters	Weight (lbs.)
24x48x70,74	<b>CP248U500GP</b>	190	<b>CP248N800GP</b>	214

Note: Pneumatic casters add 4" to height

**Additional options available, see page 45 for details.**

## Model DG

### Cardboard carton truck with adjustable dividers

**Product Features:**

- All welded construction (except casters, removable handles and rails)
- Durable 12-gauge steel platforms, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend
- Sockets are 6" apart. NOTE: Side sockets add 3" to truck width
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" platform lips down for flush load and unload
- 1-1/4" removable tubular divider rails - 36" high

**Number of Rails**

- 8 - on a 48" length cart
- 10 - on a 60" length cart
- 12 - on a 72" length cart

- Removable handle 30" high
- Platform deck height - 9"
- Overall height - 45", (49" with 8" casters)
- Powder coated gray finish



DG360P700GP

Description (WxDxH inches)	5" Phenolic Casters	5" Urethane Casters	Weight (lbs.)	8" Full Pneumatic Casters	Weight (lbs.)
24x48x45,49	<b>DG248P700GP</b>	<b>DG248U700GP</b>	188	<b>DG248N800GP</b>	212
30x60x45,49	<b>DG360P700GP</b>	<b>DG360U700GP</b>	240	<b>DG360N800GP</b>	264
36x72x45,49	<b>DG472P700GP</b>	<b>DG472U700GP</b>	310	<b>DG472N800GP</b>	334

Note: Pneumatic casters add 4" to height

**Additional options available, see page 45 for details.**



## Model TS

Versatile single-sided tray unit for transporting to multiple stations

UP TO  
2000  
LBS.

### Product Features:

- All welded frame construction
- 1-1/2" square tubular base frame
- Slotted 12-gauge channel uprights, slots on 3-1/2" centers
- Bolt on casters, 2 swivel and 2 rigid, for ease of replacement and superior cart tracking - see specifications
- Frame only, accessories sold separately (see chart)
- Maximum number of trays per unit - 7
- Overall height - 67"
- Powder coated gray finish

Additional options available, see page 45 for details.



TS238P600GP

Description (WxDxH inches)	6" Phenolic Casters	Weight (lbs.)
24x38x67	<b>TS238P600GP</b>	114

Accessory Descriptions (WxDxH inches)	Model No.	Weight (lbs.)
Closed front tray with handles, 36"x15"x5"	<b>C6</b>	28
Open front tray with handles, 36"x15"x5"	<b>T6</b>	28
15" deep tray divider, 5" high	<b>D6</b>	1
15" long spindle rod 1/2" diameter	<b>SP</b>	1
36" wide x 4" high hanger bar, holds spindles on 2" centers	<b>HB</b>	12



C6



T6



D6



SP



HB

## Model PC

A Frame transporter for flat panels

### Product Features:

- All welded construction (except casters)
- Durable 12-gauge steel platform with under bracing, and 12-gauge caster mounts for long lasting use
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Angle "A" frame 48" above deck, angle 1-1/2" by 3/16" thickness
- 1-1/2" platform lips up on sides for retention and down (flush) on ends
- Usable deck space each side of "A" frame: 24" width - 6", 30" width - 9", 36" width - 12"
- Overall height - 57", (59" with 8" casters).
- Powder coated gray finish

Additional options available, see page 45 for details.



PC236P600GP

UP TO  
2000  
LBS.

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)	8" Full Pneumatic Casters	Weight (lbs.)
24x36x57,59	<b>PC236P600GP</b>	<b>PC236U600GP</b>	140	<b>PC236N800GP</b>	152
24x48x57,59	<b>PC248P600GP</b>	<b>PC248U600GP</b>	164	<b>PC248N800GP</b>	176
30x60x57,59	<b>PC360P600GP</b>	<b>PC360U600GP</b>	202	<b>PC360N800GP</b>	214
36x72x57,59	<b>PC472P600GP</b>	<b>PC472U600GP</b>	246	<b>PC472N800GP</b>	258

Note: Pneumatic casters add 4" to height

## Model TP

### 3-level bar and pipe truck

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel platform with under bracing, and 12-gauge caster mounts for long lasting use
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 4" channel uprights, 1-1/2" square tube arms
- 3 load levels
- Platform height - 11"
- Usable arm spacing (horizontal) - each side:  
Top - 6-1/2" Middle - 10-1/2" Bottom - 14-1/2"
- Overall height - 59"
- Powder coated gray finish



TP472P800GP

Description (WxDxH inches)	8" Phenolic Casters	8" Urethane Casters	Weight (lbs.)
36x48x59	TP448P800GP	TP448U800GP	226
36x72x59	TP472P800GP	TP472U800GP	270

## Model UP

### 3-level bar and pipe truck for flexible material

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel platform with under bracing, and 12-gauge caster mounts for long lasting use
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 4" channel uprights, 1-1/2" square tube arms
- 3 load levels
- Platform height - 11"
- Usable arm spacing (horizontal) - each side:  
Top - 6-1/2" Middle - 10-1/2" Bottom - 14-1/2"
- Overall height - 59"
- Powder coated gray finish



UP472P800GP

Description (WxDxH inches)	8" Phenolic Casters	8" Urethane Casters	Weight (lbs.)
36x48x59	UP448P800GP	UP448U800GP	284
36x72x59	UP472P800GP	UP472U800GP	316

Additional options available, see page 45 for details.

## Model CT

### Super heavy-duty bar cradle truck for pipes and bars

**Product Features:**

- All welded frame construction
- 4 cradles for 96" long unit
- Cradle 27" w x 14" h
- 3" x 3/16" thick flat load supports for better material support
- 4" channel steel frame
- 8" phenolic bolt on swivel casters (4) on ends and 12" x 3" phenolic wheels (2) on 1" axle in center
- Overall height - 30"
- Powder coated gray finish



CT396P200GP

Description (WxDxH inches)	12" Phenolic Wheels	Weight (lbs.)
30x96x30	CT396P200GP	310

Additional options available, see page 45 for details.

## Model TL

Plastic tote holder truck with cross-stack totes

**Product Features:**

- All welded construction (except casters)
- 12-gauge flush bottom pan, and 12-gauge caster mounts
- 1" tubular frame with 1-1/4" x 1/8" thick angle support rails
- Bolt on 5" urethane casters, all swivel
- Clearance between tote holders - 10"
- Includes 12 plastic totes - 16" w x 25-1/8" d x 8-1/2" h
- Totes manufactured from FDA-compliant materials
- Overall height: - 72"
- Powder coated gray finish

Additional options available, see page 45 for details. Additional totes available.



UP TO  
**100 lbs.**  
PER TOTE

TL236U503GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
26x36x72	<b>TL236U503GP</b>	190

## Model RE

Mobile louvered panel small parts organizer

**Product Features:**

- Double sided louvered panels accept different size plastic bins (not included see below)
- All welded construction (except casters)
- Durable 12-gauge steel shelves and 12-gauge caster mounts for long lasting use
- Straight handle with rubber grips
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Size of louvered panels:- 36" w x 50" h
- Louvered tabs per panel (each side): 12 wide x 24 high
- Overall height - 64"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO  
**1200 LBS.**

RE336U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
30x36x64	<b>RE336U500GP</b>	164

• Individual Bins (3 sizes) Specify quantity

Yellow Plastic Hanging Bin Sizes			
Code	Size	Dimensions W x D x H	Louvered Tabs Used
RB	Large	8¼" x 11" x 7"	3 wide x 4 high
RC	Medium	5½" x 11" x 5"	2 wide x 3 high
RD	Small	4⅞" x 7½" x 3"	1.5 wide x 2 high



RB - Large



RC - Medium



RD - Small

Bin Packages (Add code to end of model number)	Model No.
48 Large bins	<b>BE</b>
96 Medium bins	<b>CE</b>
192 Small bins	<b>DE</b>
16 Large, 48 Medium, 48 Small (total 112 bins)	<b>ME</b>

## Model RA

Mobile louvered panel small parts organizer with top shelf

### Product Features:

- Double sided louvered panels accept different size plastic bins (not included see below)
- All welded construction (except casters)
- Durable 12-gauge steel shelves and 12-gauge caster mounts for long lasting use
- Tubular handle for comfort and uniform appearance
- Top shelf adds additional workspace
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Size of louvered panels:- 36" w x 19" h
- Louvered tabs per panel (each side): 12 wide x 9 high
- Overall height - 35"
- Powder coated gray finish

Additional options available, see page 45 for details.



RA336U500GP

UP TO  
1200  
LBS.

### Yellow Plastic Hanging Bin Sizes

Code	Size	Dimensions W x D x H	Louvered Tabs Used
RB	Large	8 1/4" x 11" x 7"	3 wide x 4 high
RC	Medium	5 1/2" x 11" x 5"	2 wide x 3 high
RD	Small	4 1/8" x 7 1/2" x 3"	1.5 wide x 2 high



RB - Large



RC - Medium



RD - Small

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
30x36x35	RA336U500GP	136

Bin Packages (Add code to end of model number)	Model No.
64 Small bins	DA
Mixed - 8 Large, 12 Medium, and 16 Small bins (36 total)	MA

## Model RB

Mobile sloped shelf truck with plastic shelf bins

### Product Features:

- All welded construction (except casters)
- 12-gauge bottom deck and caster mounts
- 1-1/2" tubular center uprights
- Yellow Plastic Shelf Bins - 58 total: 16 - Small, 20 - Medium, 16 - Large, 6 - Big
- 14-gauge sloped shelves - 6 levels on both sides
- Bolt on 6" urethane casters, 2 swivel and 2 rigid
- Overall height - 66"
- Powder coated gray finish

Additional options available, see page 45 for details. Additional bins available.

### Yellow Plastic Shelf Bin Sizes

Code	Size	Dimensions W x D x H
RZ	Big	11 1/8" x 11 1/8" x 4"
RY	Large	8 1/8" x 11 1/8" x 4"
RX	Medium	6 3/8" x 11 1/8" x 4"
RW	Small	4 1/8" x 1 1/8" x 4"



RZ - Big



RY - Large



RX - Medium



RW - Small



RB336U600GP

UP TO  
2000  
LBS.

Description (WxDxH inches)	6" Urethane Casters	Weight (lbs.)
30x36x66	RB336U600GP	354

## Model AB

Vibration reducer cart to safely transport instruments

**Product Features:**

- All welded construction (except casters), durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Top and bottom shelves have shock absorbing, non-slip, non-conductive vinyl matting
- Tubular handle with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid for easy replacement
- 1-1/2" shelf lips down (flush) on both shelves
- Clearance between shelves - 20"
- Top shelf height - 34", (30" with 5" casters)
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO 1200 LBS.

AB236N800GP

Description (WxDxH inches)	8" Semi Pneumatic Casters	8" Full Pneumatic Casters	Weight (lbs.)	5" Urethane Casters	Weight (lbs.)
24x36x34,30	AB236Z800GP	AB236N800GP	130	AB236U500GP	106
24x48x34,30	AB248Z800GP	AB248N800GP	150	AB248U500GP	126
30x48x34,30	AB348Z800GP	AB348N800GP	174	AB348U500GP	150

Note: Pneumatic casters add 4" to height

## Model AE

Vibration reducer cart with ergonomic handle to safely transport instruments

**Product Features:**

- All welded construction (except casters), durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Top and bottom shelves have shock absorbing, non-slip, non-conductive vinyl matting
- Raised ergonomic handle with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid for easy replacement
- 1-1/2" shelf lips down (flush) on both shelves
- Clearance between shelves - 20"
- Top shelf height - 34", (30" with 5" casters)
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO 1200 LBS.

AE236N800GP

Description (WxDxH inches)	8" Semi Pneumatic Casters	8" Full Pneumatic Casters	Weight (lbs.)	5" Urethane Casters	Weight (lbs.)
24x36x34,30	AE236Z800GP	AE236N800GP	132	AE236U500GP	108
30x48x34,30	AE348Z800GP	AE348N800GP	176	AE348U500GP	152

Note: Pneumatic casters add 4" to height

## Model PA

Shock absorbing, vibration reducer platform truck

**Product Features:**

- All welded frame construction (except handles and casters)
- 12-gauge steel platform
- Platform has shock absorbing, non-slip, non-conductive vinyl matting
- Removable 1-1/4" tubular handle with smooth radius bend mounted into sockets
- Flush platform for easy load and unload
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Platform height - 12", (8" with 5" casters)
- Handle height above deck - 30"
- Powder coated gray finish

Additional options available, see page 45 for details.



UP TO 1200 LBS.

PA236N800GP

Description (WxDxH inches)	8" Semi Pneumatic Casters	8" Full Pneumatic Casters	Weight (lbs.)	5" Urethane Casters	Weight (lbs.)
18x36x12,8	PA136Z800GP	PA136N800GP	94	PA136U500GP	70
24x36x12,8	PA236Z800GP	PA236N800GP	106	PA236U500GP	82
24x48x12,8	PA248Z800GP	PA248N800GP	124	PA248U500GP	100
30x48x12,8	PA348Z800GP	PA348N800GP	136	PA348U500GP	112
30x60x12,8	PA360Z800GP	PA360N800GP	156	PA360U500GP	132

Note: Pneumatic casters add 4" to height

Cart capacities are the lesser capacity between cart shelves (evenly distributed load) and the casters

## Model LV

Open bottom frame mobile table

**Product Features:**

- All welded construction (except casters)
- Open bottom frame
- Durable 12-gauge steel shelf, and 12-gauge caster mounts for long lasting use
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips down (flush) on both shelves
- Overall height - 30"
- Powder coated gray finish

Additional options available, see page 45 for details.



LV248U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
24x36x30	LV236U500GP	88
24x48x30	LV248U500GP	102
30x36x30	LV336U500GP	100
30x48x30	LV348U500GP	116
30x60x30	LV360U500GP	132
30x72x30	LV372U500GP	172
36x48x30	LV448U500GP	130
36x72x30	LV472U500GP	168

## Model LA

Vibration reduction 2 shelf mobile table

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips down (flush) on both shelves
- Clearance between shelves - 20"
- Overall height - 34"
- Powder coated gray finish

Additional options available, see page 45 for details.



LA248N800GP

Description (WxDxH inches)	8" Semi-Pneumatic Casters	8" Full Pneumatic Casters	Weight (lbs.)
24x36x34	LA236Z800GP	LA236N800GP	128
24x48x34	LA248Z800GP	LA248N800GP	148
30x36x34	LA336Z800GP	LA336N800GP	146
30x60x34	LA360Z800GP	LA360N800GP	196
30x72x34	LA372Z800GP	LA372N800GP	220
36x48x34	LA448Z800GP	LA448N800GP	194
36x72x34	LA472Z800GP	LA472N800GP	252

## Model LX

Extra durable reinforced 2 shelf mobile table

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves with under bracing, and 12-gauge caster mounts for long lasting use
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips down (flush) on both shelves
- Clearance between shelves - 20"
- Overall height - 31"
- Powder coated gray finish

Additional options available, see page 45 for details.



LX248P600GP

Description (WxDxH inches)	6" Phenolic Casters	6" Urethane Casters	Weight (lbs.)
24x36x31	LX 236P600GP	LX236U600GP	126
24x48x31	LX248P600GP	LX248U600GP	148
30x36x31	LX336P600GP	LX336U600GP	142
30x48x31	LX348P600GP	LX348U600GP	170
30x60x31	LX360P600GP	LX360U600GP	198
30x72x31	LX372P600GP	LX372U600GP	224
36x48x31	LX448P600GP	LX448U600GP	192
36x72x31	LX472P600GP	LX472U600GP	256

## Model LW

Super heavy duty reinforced 2 shelf mobile table

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves with under bracing, and 12-gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips down (flush) on both shelves
- Clearance between shelves - 20"
- Overall height - 30"
- Powder coated gray finish

Additional options available, see page 45 for details.



LW472P800GP

Description (WxDxH inches)	8" Phenolic Casters	Weight (lbs.)
24x36x30	LW236P800GP	148
24x48x30	LW248P800GP	176
30x36x30	LW336P800GP	166
30x48x30	LW348P800GP	198
30x60x30	LW360P800GP	232
30x72x30	LW372P800GP	264
36x48x30	LW448P800GP	220
36x60x30	LW460P800GP	260
36x72x30	LW472P800GP	296

## Model LC

3 shelf mobile table

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves with under bracing, and 12-gauge caster mounts for long lasting use.
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips down (flush) on all shelves
- Clearance between shelves - 9"
- Overall height - 30" (34" with 8" casters)
- Powder coated gray finish

Additional options available, see page 45 for details.



LC248U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)	8" Semi Pneumatic Casters	Weight (lbs.)
24x36x30,34	LC236U500GP	138	LC236Z800GP	162
24x48x30,34	LC248U500GP	168	LC248Z800GP	192
30x36x30,34	LC336U500GP	162	LC336Z800GP	186
30x48x30,34	LC348U500GP	200	LC348Z800GP	224
30x60x30,34	LC360U500GP	238	LC360Z800GP	262
30x72x30,34	LC372U500GP	274	LC372Z800GP	298
36x48x30,34	LC448U500GP	232	LC448Z800GP	256
36x72x30,34	LC472U500GP	320	LC472Z800GP	344

Note: Pneumatic casters add 4" to height

## Model LB

2 shelf mobile table

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts for long lasting use
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- 1-1/2" shelf lips down (flush) on both shelves
- Clearance between shelves - 20"
- Overall height - 30"
- Powder coated gray finish

Additional options available, see page 45 for details.



LB248U500GP

Description (WxDxH inches)	5" Urethane Casters	5" Thermorubber Casters	Weight (lbs.)
24x36x30	LB236U500GP	LB236T500GP	104
24x48x30	LB248U500GP	LB248T500GP	124
30x36x30	LB336U500GP	LB336T500GP	122
30x48x30	LB348U500GP	LB348T500GP	146
30x60x30	LB360U500GP	LB360T500GP	172
30x72x30	LB372U500GP	LB372T500GP	196
36x48x30	LB448U500GP	LB448T500GP	170
36x60x30	LB460U500GP	LB460T500GP	200
36x72x30	LB472U500GP	LB472T500GP	228

## Model FW

*Open bottom frame mobile table*

**Product Features:**

- All welded construction (except casters)
- Durable 14-gauge steel shelves
- Bolt on casters, 2 swivel and 2 rigid with wheel brakes
- 1-1/2" shelf lips down (flush) on both shelves
- Clearance between shelves - 20"
- Overall height - 28"
- Powder coated black finish

**Additional options available, see page 45 for details.**



UP TO  
**800**  
LBS.

FW136U400BL

Description (WxDxH inches)	4" Urethane Casters	Weight (lbs.)
18x24x28	<b>FW124U405BL</b>	48
18x30x28	<b>FW130U405BL</b>	54
18x36x28	<b>FW136U405BL</b>	62
24x36x28	<b>FW236U405BL</b>	74
24x48x28	<b>FW248U405BL</b>	90

## Model LK

*2 shelf mobile work center with 1 drawer*

**Product Features:**

- Lockable drawer with 2 keys 5" h x 16" w x 16" d
- 1-1/2" shelf lips up for retention
- All welded construction (except casters), with durable 12-gauge steel shelf, and 12-gauge caster mounts for long lasting use
- Tubular handle with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Clearance under drawer - 19"
- Overall height - 35", (39" with 8" casters)
- Powder coated gray finish

**Additional options available, see page 45 for details.**



UP TO  
**1200**  
LBS.

LK236U500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)	8" Semi Pneumatic Casters	Weight (lbs.)
24x30x35,39	<b>LK230U500GP</b>	126	<b>LK230Z800GP</b>	148
24x36x35,39	<b>LK236U500GP</b>	136	<b>LK236Z800GP</b>	158
24x48x35,39	<b>LK248U500GP</b>	156	<b>LK248Z800GP</b>	178
30x36x35,39	<b>LK336U500GP</b>	154	<b>LK336Z800GP</b>	176
30x48x35,39	<b>LK348U500GP</b>	178	<b>LK348Z800GP</b>	200
30x60x35,39	<b>LK360U500GP</b>	204	<b>LK360Z800GP</b>	226

Note: Pneumatic casters add 4" to height



## Model SR

*Durable mobile work center with flush front edge and 2 lockable drawers*

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts
- Top shelf has front lip down for flush work area and 3 lips up
- 2 lockable drawers (keyed alike) with 2 keys 5" h x 16" w x 16" d
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Bottom shelf lips up for retention
- Clearance under drawers - 17"
- Work surface height - 34", (38" with 8" casters)
- Powder coated gray finish



UP TO  
**1200**  
LBS.

SR236U500GP

**Additional options available, see page 45 for details.**

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)	8" Full Pneumatic Casters	Weight (lbs.)
36x24x34,38	SR236U500GP	162	SR236N800GP	186
48x24x34,38	SR248U500GP	182	SR248N800GP	206
36x30x34,38	SR336U500GP	180	SR336N800GP	204
48x30x34,38	SR348U500GP	204	SR348N800GP	228

Note: Pneumatic casters add 4" to height

## Model ST

*Durable mobile work center with flush front edge, 2 lockable drawers and half shelf riser*

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts
- Top shelf has front lip down for flush work area and 3 lips up
- 12" deep half shelf adds 14" to work surface height for tool box
- 2 lockable drawers (keyed alike) with 2 keys 5" h x 16" w x 16" d
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Bottom shelf lips up for retention
- Clearance under drawers - 17"
- Work surface height - 34", (38" with 8" casters)
- Overall height - 48", (52" with 8" casters)
- Powder coated gray finish



UP TO  
**1200**  
LBS.

ST236U500GP

**Additional options available, see page 45 for details.**

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)	8" Full Pneumatic Casters	Weight (lbs.)
36x24x48,52	ST236U500GP	194	ST236N800GP	218
48x30x48,52	ST348U500GP	242	ST348N800GP	266

Note: Pneumatic casters add 4" to height

## Model SV

*Durable mobile work center with flush front edge, 2 lockable drawers and tool tray handle*

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves, and 12-gauge caster mounts
- Top shelf has front lip down for flush work area and 3 lips up
- 2 Lockable drawers (keyed alike) with 2 keys - 5" h x 16" w x 16" d
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Bottom shelf lips up for retention
- Tool tray is 10" deep
- Clearance under drawers - 17"
- Work surface height - 34", (38" with 8" casters)
- Powder coated gray finish



UP TO  
**1200**  
LBS.

SV236U500GP

**Additional options available, see page 45 for details.**

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)	8" Full Pneumatic Casters	Weight (lbs.)
36x24x34,38	SV236U500GP	172	SV236N800GP	196
48x24x34,38	SV248U500GP	192	SV248N800GP	216
36x30x34,38	SV336U500GP	190	SV336N800GP	214

Note: Pneumatic casters add 4" to height

## Model SM

Durable mobile work center with pegboard rack and 2 drawers

### Product Features:

- All welded construction (except casters)
- Durable 12-gauge steel shelves and 12-gauge caster mounts
- 2 lockable drawers (keyed alike) with 2 keys 5" h x 16" w x 16" d
- 14-gauge peg board with angle frame - 36" w x 19" h
- Top shelf front lip down, 3 other lips up for retention
- Tubular handle with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Bottom shelf lips up for retention
- Clearance under drawers - 17"
- Work surface height - 34", (38" with 8" casters)
- Overall height - 58", (62" with 8" casters)
- Powder coated gray finish



SM336U500GP

Description (WxDxH inches)	5" Urethane Casters	5" Thermorubber Casters	Weight (lbs.)	8" Full Pneumatic Casters	Weight (lbs.)
36x24x58,62	SM236U500GP	SM236T500GP	192	SM236N800GP	216
36x30x58,62	SM336U500GP	SM336T500GP	210	SM336N800GP	234

Note: Pneumatic casters add 4" to height

## Model SN

Durable utility carts with louvered panel, plastic bins and 2 drawers

### Product Features:

- All welded construction (except casters)
- Durable 12-gauge steel shelves and 12-gauge caster mounts
- 2 lockable drawers (keyed alike) with 2 keys 5" h x 16" w x 16" d
- Louvered panel with angle frame - 36" w x 19" h
- Includes 32 yellow plastic hanging bins (4-1/8" w x 7-1/2" d x 3" h)
- Top shelf front lip down, 3 other lips up for retention
- Tubular handle with smooth radius bend
- Bolt on casters, 2 swivel and 2 rigid, for easy replacement
- Bottom shelf lips up for retention
- Clearance under drawers - 17"
- Work surface height - 34", (38" with 8" casters)
- Overall height - 58", (62" with 8" casters)
- Powder coated gray finish



SN236U500GP

Yellow Plastic Hanging Bin Sizes			
Code	Size	Dimensions W x D x H	Louvered Tabs Used
RB	Large	8 1/4" x 11" x 7"	3 wide x 4 high
RC	Medium	5 1/2" x 11" x 5"	2 wide x 3 high
RD	Small	4 1/8" x 7 1/2" x 3"	1.5 wide x 2 high



RB - Large



RC - Medium



RD - Small

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)	8" Full Pneumatic Casters	Weight (lbs.)
36x24x58,62	SN236U500GP	198	SN236N800GP	222
36x30x58,62	SN336U500GP	216	SN336N800GP	240

Note: Pneumatic casters add 4" to height

## Model MW

Mobile workbench

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves (ideal for mounting vices)
- 2" square tubular corner construction
- Bolt on casters, 2 swivel with brakes and 2 rigid, for easy replacement
- Bottom shelf lips up for retention and 4" back support
- Flush front, other 3 sides lips up
- Clearance between shelves - 22"
- Work surface height - 34"
- Powder coated gray finish



UP TO  
1200  
LBS.

MW472U50500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
60x30x48	<b>MW360U505GP</b>	172
60x36x48	<b>MW460U505GP</b>	188
72x36x48	<b>MW472U505GP</b>	214

## Model MX

Mobile workbench with half shelf riser, power strip and plastic bins

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves (ideal for mounting vices)
- 2" square tubular corner construction
- Bolt on casters, 2 swivel with brakes and 2 rigid, for easy replacement
- Bottom shelf lips up for retention and 4" back support
- Flush front, other 3 sides lips up
- Half shelf riser 12" deep, 14" high
- 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft. cord
- 60" length - 10 Medium bins; 72" length - 12 Medium bins
- Clearance between shelves - 22"
- Work surface height - 34"
- Powder coated gray finish



UP TO  
1200  
LBS.

MX360U50500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
60x30x48	<b>MX360U505GP</b>	236
60x36x48	<b>MX460U505GP</b>	250
72x36x48	<b>MX472U505GP</b>	286

Yellow Plastic Bin Size		
Code	Size	Dimensions W x D x H
RC	Medium	5½" x 11" x 5"



RC - Medium

## Model MR

Mobile workbench with pegboard panel

**Product Features:**

- All welded construction (except casters)
- Durable 12-gauge steel shelves (ideal for mounting vices)
- 2" square tubular corner construction
- Bolt on casters, 2 swivel with brakes and 2 rigid, for easy replacement
- Bottom shelf lips up for retention and 4" back support
- Flush front, other 3 sides lips up
- 14-gauge steel pegboard 19" high
- Clearance between shelves - 22"
- Work surface height - 34"
- Powder coated gray finish



UP TO  
1200  
LBS.

MR460U50500GP

Description (WxDxH inches)	5" Urethane Casters	Weight (lbs.)
60x30x48	<b>MR360U505GP</b>	218
60x36x48	<b>MR460U505GP</b>	240
72x36x48	<b>MR472U505GP</b>	264

## Model WS

Heavy duty work stand with 2 shelves

**Product Features:**

- All welded construction
- Durable flush mounted 12-gauge shelves
- Corner posts with pre-punched mounting pads
- Clearance between shelves - 20"
- Clearance under bottom shelf - 7"
- Overall height - 30"
- Powder coated gray finish



WS130GP

Description (WxDxH inches)	Model Number	Weight (lbs.)
24x18x30	<b>WS124GP</b>	58
30x18x30	<b>WS130GP</b>	66
36x18x30	<b>WS136GP</b>	74
24x24x30	<b>WS224GP</b>	68
36x24x30	<b>WS236GP</b>	88
48x24x30	<b>WS248GP</b>	108
60x30x30	<b>WS360GP</b>	152

## Model WV

Heavy duty work stand with 3 shelves

**Product Features:**

- All welded construction
- Durable flush mounted 12-gauge shelves
- Corner posts with pre-punched mounting pads
- Clearance between shelves - 11"
- Clearance under bottom shelf - 5"
- Overall height - 32"
- Powder coated gray finish



WV130GP

Description (WxDxH inches)	Model Number	Weight (lbs.)
24x18x32	<b>WV124GP</b>	72
30x18x32	<b>WV130GP</b>	82
36x18x32	<b>WV136GP</b>	92
24x24x32	<b>WV224GP</b>	84
36x24x32	<b>WV236GP</b>	112
48x24x32	<b>WV248GP</b>	140
60x30x32	<b>WV360GP</b>	202

## Model WL, WM, WN

Heavy duty shelving units

**Product Features:**

- All welded construction
- Durable 12-gauge steel shelves, with 12-gauge feet
- 1-1/2" shelf lips down, flush
- Clearance between shelves - WL-17", WM-15", WN-13"
- Overall height - WL-45", WM-57", WN-65"
- Powder coated gray finish



WL248GP



WN248GP



WM248GP

Description (WxDxH inches)	Model Number	No. of Shelves	Weight (lbs.)
48x18x45	<b>WL148GP</b>	3	134
48x24x45	<b>WL248GP</b>	3	166
48x18x57	<b>WM148GP</b>	4	174
48x24x57	<b>WM248GP</b>	4	214
48x18x65	<b>WN148GP</b>	5	212
48x24x65	<b>WN248GP</b>	5	262

UP TO  
**4000**  
LBS.

UP TO  
**8000**  
LBS.



WF472GP

## Model WG, WF

*Heavy duty work tables*

**Product Features:**

- All welded construction
- 12-gauge flush top shelf with 3" channel underbracing support
- Durable 12-gauge steel bottom shelf
- Corner posts with pre-punched floor mounting pads
- Lower shelf - 24" deep with 4" stringer
- Clearance between shelves - 16"
- Overall height - 34"
- Powder coated gray finish

Description (WxDxH inches)	Model Number	Weight Capacity (lbs.)	Weight (lbs.)
60x36x34	<b>WG460GP</b>	4,000	266
72x36x34	<b>WG472GP</b>	4,000	304
60x36x34	<b>WF460GP</b>	8,000	278
72x36x34	<b>WF472GP</b>	8,000	316

UP TO  
**12,000**  
LBS.

UP TO  
**16,000**  
LBS.



UG472GP

## Model UG, WD

*Extra heavy duty work tables*

**Product Features:**

- All welded construction
- Model UG - 3/16" thick plate flush bench top with extra 3" channel underbracing support
- Model WD - 1/4" thick plate flush bench top with extra 3" channel underbracing support
- Durable 12-gauge steel bottom shelf
- Corner posts with pre-punched floor mounting pads
- Lower shelf - 24" deep with 4" stringer
- Clearance between shelves - 16"
- Overall height - 34"
- Powder coated gray finish

Description (WxDxH inches)	Model Number	Weight Capacity (lbs.)	Weight (lbs.)
60x36x34	<b>UG460GP</b>	12,000	328
72x36x34	<b>UG472GP</b>	12,000	376
60x36x34	<b>WD460GP</b>	16,000	370
72x36x34	<b>WD472GP</b>	16,000	428



## Model WB

Heavy duty workbench - 3 sides lips up top

**Product Features:**

- All welded construction
- Durable 12-gauge steel shelves with underbracing (ideal for mounting vises)
- 2" square tubular corner construction with floor pads
- Top shelf front side flush, other 3 sides lips up for retention
- Lower half shelf and 4" back support
- Clearance between shelves - 22"
- Work surface height - 34"
- Powder coated gray finish



UP TO  
**3000**  
LBS.

WB472GP

Description (WxDxH inches)	Model Number	Weight (lbs.)
60x30x34	<b>WB360GP</b>	176
72x30x34	<b>WB372GP</b>	202
72x36x34	<b>WB472GP</b>	218



## Model UA

Heavy duty workbench - flush top

**Product Features:**

- All welded construction
- Durable 12-gauge steel shelves with underbracing (ideal for mounting vises)
- 2" square tubular corner construction with floor pads
- Flush top
- Lower half shelf and 4" back support
- Clearance between shelves - 22"
- Overall height - 34"
- Powder coated gray finish



UP TO  
**3000**  
LBS.

UA472GP

Description (WxDxH inches)	Model Number	Weight (lbs.)
60x30x34	<b>UA360GP</b>	176
72x30x34	<b>UA372GP</b>	202
72x36x34	<b>UA472GP</b>	218
96x36x34	<b>UA496GP</b>	306



WK372GP

UP TO  
3000  
LBS.



UJ360GP

## Model WK, UJ

Heavy duty workbench - 3 sides lips up top and 1 drawer

### Product Features:

- All welded construction
- Durable 12-gauge steel shelves with underbracing (ideal for mounting vises)
- 2" square tubular corner construction with floor pads
- Top shelf front side flush, other 3 sides lips up for retention
- Lockable drawer(s) (left side) with 2 keys
- Lower half shelf and 4" back support
- Clearance between shelves - 22"
- Work surface height - 34"
- Powder coated gray finish

Description (WxDxH inches)	Model Number	Drawer Size (WxDxH inches)	Weight (lbs.)
60x30x34	<b>WK360GP</b>	16x16x5	204
72x30x34	<b>WK372GP</b>	16x16x5	230
60x30x34	<b>UJ360GP</b>	30x20x5	218
72x30x34	<b>UJ372GP</b>	30x20x5	244
72x36x34	<b>UJ472GP</b>	30x20x5	260



UM360GP

UP TO  
3000  
LBS.



UN360GP

## Model UM, UN

Heavy duty workbench - flush top and 1 drawer

### Product Features:

- All welded construction
- Durable 12-gauge steel shelves with underbracing (ideal for mounting vises)
- 2" square tubular corner construction with floor pads
- Flush top
- Lockable drawer(s) (left side) with 2 keys
- Lower half shelf and 4" back support
- Clearance between shelves - 22"
- Work surface height - 34"
- Powder coated gray finish

Description (WxDxH inches)	Model Number	Drawer Size (WxDxH inches)	Weight (lbs.)
60x30x34	<b>UM360GP</b>	16x16x5	204
72x30x34	<b>UM372GP</b>	16x16x5	230
72x36x34	<b>UM472GP</b>	16x16x5	246
60x30x34	<b>UN360GP</b>	30x20x5	218
72x30x34	<b>UN372GP</b>	30x20x5	244
72x36x34	<b>UN472GP</b>	30x20x5	260



## Model WY

Heavy duty workdesk with 1 cabinet and 4 drawers

**Product Features:**

- All welded construction
- 2 side 18" x 24" cabinets (14-gauge). One side with lockable door and 2 keys (cabinet height clearance 24"), the other side with 4 lockable drawers (5" h x 16" w x 16" d) with 2 keys (all keyed alike)
- 2" x 3/16" thick lower back support between cabinets
- 12-gauge top, front side lip down (flush), other 3 sides up for retention
- 12-gauge feet allow moving unit with fork lift truck
- Work surface height - 33"
- Powder coated gray finish



UP TO  
2000  
LBS.

WY360GP

Description (WxDxH inches)	Model Number	Weight (lbs.)
60x30x33	<b>WY360GP</b>	316
72x30x33	<b>WY372GP</b>	330



WA372GP

## Model WA, WC, WX

Heavy duty workbench with 1/2 shelf riser

**Product Features:**

- All welded construction
- Durable 12-gauge steel shelves with underbracing (ideal for mounting vises)
- 2" square tubular corner construction with floor pads
- 12" deep half shelf riser adds 14" to work surface height for tools, tool box
- Top shelf front side flush, other 3 sides lips up for retention
- Lower half shelf and 4" back support
- Model WC - includes removable plastic bins and 6 outlet power strip with 15 amp circuit breaker and 3 prong grounded 15 ft. cord. 60" length - 10 Medium bins; 72" length - 12 Medium bins
- Model WX - 4' light fixture and frame
- Clearance between shelves - 22"
- Work surface height - 34"
- Powder coated gray finish

UP TO  
3000  
LBS.



WC372GP



WX372GP



Yellow Plastic Bin Size		
Code	Size	Dimensions W x D x H
RC	Medium	5½" x 11" x 5"



RC - Medium

Description (WxDxH inches)	Model Number	# of Medium Bins	Weight (lbs.)
60x30x34	<b>WA360GP</b>	0	220
72x30x34	<b>WA372GP</b>	0	252
72x36x34	<b>WA472GP</b>	0	268
60x30x34	<b>WC360GP</b>	10	238
72x30x34	<b>WC372GP</b>	12	274
72x36x34	<b>WC472GP</b>	12	292
60x30x34	<b>WX360GP</b>	0	270
72x30x34	<b>WX372GP</b>	0	302
72x36x34	<b>WX472GP</b>	0	318



## Model WR, WT

Heavy duty workbench with 19" high panel

### Product Features:

- All welded construction
- Durable 12-gauge steel shelves with underbracing (ideal for mounting vises)
- 2" square tubular corner construction with floor pads
- Top shelf front side flush, other 3 sides lips up for retention
- Lower half shelf and 4" back support
- Model WR - 14-gauge steel pegboard panel 19" high
- Model WT - 16-gauge louvered panel 19" high
- Clearance between shelves - 22"
- Work surface height - 34"
- Powder coated gray finish

WR372GP

UP TO 3000 LBS.

Description (WxDxH inches)	Model Number	Weight (lbs.)
60x30x34	WR360GP	210
72x30x34	WR372GP	240
72x36x34	WR472GP	264
60x30x34	WT360GP	206
72x30x34	WT372GP	234
72x36x34	WT472GP	260



WT372GP

## Model WW

Heavy duty workbench - 3 sides lips up top, and sloped 1/2 shelf with plastic bins

### Product Features:

- All welded construction
- Durable 12-gauge steel shelves with underbracing (ideal for mounting vises)
- 2" square tubular corner construction with floor pads
- Sloped 12" deep half shelf riser adds 14" to work surface height
- Top shelf front side flush, other 3 sides lips up for retention
- 60" length - 7 Large bins; 72" length - 8 Large bins
- Lower half shelf and 4" back support.
- Clearance between shelves - 22"
- Work surface height - 34"
- Powder coated gray finish



UP TO 3000 LBS.

WW372GP

Description (WxDxH inches)	Model Number	# of Large Bins	Weight (lbs.)
60x30x34	WW360GP	7	208
72x30x34	WW372GP	8	234
72x36x34	WW472GP	8	252

Yellow Plastic Bin Size		
Code	Size	Dimensions W x D x H
RB	Large	8 1/4" x 11" x 7"



RB - Large

## Model KS

*Stainless steel wall cabinet with 2 shelves*

**Product Features:**

- Premium polished 304 stainless steel, welded construction
- 3 sided 18-gauge stainless wrap construction
- 18-gauge stainless steel shelves
- Shelves adjust on 2-1/2" centers
- Top has flush front, sides and back have 1-1/4" lips up
- Smooth hemmed edges
- Wall mountable on 16" and 24" centers (hardware not included)
- Twin 18-gauge doors with dual latch system
- Flush paddle latch lock in 304 stainless steel, includes 2 keys
- Overall height - 30"



KS130

UP TO  
**150 lbs.**  
PER SHELF

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)	Additional Shelves	Weight (lbs.)
30x12x30	<b>KS130</b>	2	80	OZ130	8

**Options: (Contact customer service for pricing)**

- Additional shelves - see chart for shelf model

## Model KE

*Stainless steel cabinet with 2 shelves*

**Product Features:**

- Premium polished 304 stainless steel, welded construction
- 3 sided 18-gauge stainless wrap construction
- 18-gauge stainless steel shelves
- Shelves adjust on 3-1/2" centers
- Smooth hemmed edges
- Flush paddle latch lock with 2 point lock, includes 2 keys
- Overall height - 37"



KE236

UP TO  
**400 lbs.**  
PER SHELF

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)	Additional Shelves	Weight (lbs.)
36x18x37	<b>KE136</b>	2	158	OY136	12
36x24x37	<b>KE236</b>	2	178	OY236	16
48x24x37	<b>KE248</b>	2	240	OY238	20

**Options: (Contact customer service for pricing)**

- Additional shelves - see chart for shelf model

## Model KF

*Stainless steel cabinet with 3 shelves*

**Product Features:**

- Premium polished 304 stainless steel, welded construction
- 3 sided 18-gauge stainless wrap construction
- 18-gauge stainless steel shelves
- Shelves adjust on 3-1/2" centers
- Smooth hemmed edges
- Flush paddle latch lock with 2 point lock, includes 2 keys
- Overall height - 61"



KF136

UP TO  
**400 lbs.**  
PER SHELF

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)	Additional Shelves	Weight (lbs.)
36x18x61	<b>KF136</b>	3	228	OY136	12
36x24x61	<b>KF236</b>	3	256	OY236	16

**Options: (Contact customer service for pricing)**

- Additional shelves - see chart for shelf model

## Model KG

*Stainless steel cabinet with 4 shelves*

**Product Features:**

- Premium polished 304 stainless steel, welded construction
- 3 sided 18-gauge stainless wrap construction
- 18-gauge stainless steel shelves
- Shelves adjust on 3-1/2" centers
- Smooth hemmed edges
- Flush paddle latch lock with 2 point lock, includes 2 keys
- Overall height - 73"



KG136

UP TO  
**400 lbs.**  
PER SHELF

Description (WxDxH inches)	Model Number	# Shelves	Weight (lbs.)	Additional Shelves	Weight (lbs.)
36x18x73	<b>KG136</b>	4	276	OY136	12
36x24x73	<b>KG236</b>	4	310	OY236	16
48x24x73	<b>KG248</b>	4	363	OY238	20

**Options: (Contact customer service for pricing)**

- Additional shelves - see chart for shelf model

## Model ZP

*Stainless steel work-height cabinet with 2 doors*

**Product Features:**

- All welded construction
- Stainless, premium polished shelves in durable 16-gauge
- 3 sided 16-gauge stainless wrap construction with 14-gauge feet
- Lockable stainless doors, with 2 keys (keyed alike)
- Top shelf - flush front lip with other 3 sides lips up
- Overall height - 34"



ZP136

Description (WxDxH inches)	Model Number	Clearance Behind Doors	Weight (lbs.)
18x36x34	<b>ZP136</b>	18	100
24x36x34	<b>ZP236</b>	24	114

## Model ZU

*Stainless steel work-height cabinet with 2 doors and 2 drawers*

**Product Features:**

- All welded construction
- Stainless, premium polished shelves in durable 16-gauge
- 3 sided 16-gauge stainless wrap construction with 14-gauge feet
- Lockable stainless drawers (keyed alike) with 2 keys 4-1/4" h x 16" w x 16" d
- Lockable stainless doors (keyed alike with drawers) with 2 keys
- Top shelf - flush front lip with other 3 sides lips up
- Overall height - 34"



ZU136

Description (WxDxH inches)	Model Number	Clearance Behind Doors	Weight (lbs.)
18x36x34	<b>ZU136</b>	18	140
24x36x34	<b>ZU236</b>	24	154

## Model ZV

*Stainless steel work-height cabinet with 1 door and 4 drawers*

**Product Features:**

- All welded construction
- Stainless, premium polished shelves in durable 16-gauge
- 3 sided 16-gauge stainless wrap construction with 14-gauge feet
- Lockable stainless drawers (keyed alike) with 2 keys 4-1/4" h x 16" w x 16" d
- Lockable stainless door (keyed alike with drawers) with 2 keys
- Top shelf - flush front lip with other 3 sides lips up
- Overall height - 34"



ZV136

Description (WxDxH inches)	Model Number	Clearance Behind Door	Weight (lbs.)
18x36x34	<b>ZV136</b>	18	172
24x36x34	<b>ZV236</b>	24	186

## Model YE

*14-gauge stainless steel workbench*

**Product Features:**

- Fully welded frame construction
- Durable 14-gauge premium polished stainless steel
- Bottom shelf is set back for comfortable use.
- 2" angle frame legs with pre-punched floor mounting pads
- Flush top shelf
- Clearance between shelves - 22"
- Overall height - 35"



YE372

Description (WxDxH inches)	Model Number	Weight (lbs.)
24x48x35	<b>YE248</b>	82
30x60x35	<b>YE360</b>	106
30x72x35	<b>YE372</b>	124

## Model UK

*16-gauge stainless steel work table*

**Product Features:**

- Fully welded frame construction
- Durable 16-gauge premium polished stainless steel
- Stainless top is double formed around wood core
- Base and bottom shelf are inset
- 1-1/2" square tubular legs with adjustable feet for use on uneven surfaces
- Clearance between shelves - 19"
- Overall height - 35"



UK372

Description (WxDxH inches)	Model Number	Weight (lbs.)
30x60x35	<b>UK360</b>	140
30x72x35	<b>UK372</b>	156

## Model VO

Stainless steel work table with wood core top

**Product Features:**

- Fully welded frame construction
- Durable 16-gauge premium polished stainless steel
- Stainless top is double formed around wood core
- Base and bottom shelf are inset
- 1-1/2" square tubular legs with adjustable feet for use on uneven surfaces
- 18-gauge one piece stainless steel wrap around shell
- Includes 3 lockable stainless drawers (keyed alike) with 2 keys 4-1/4" h x 16" w x 16" d
- Drawers are three across
- Clearance under drawers - 13"
- Overall height - 35"



VO360

Description (WxDxH inches)	Model Number	Weight (lbs.)
60x30x35	<b>VO360</b>	240
72x30x35	<b>VO372</b>	256

## Model UL

Stainless steel 1-1/2" thick tabletop

**Product Features:**

- Durable 16-gauge premium polished stainless steel
- Stainless top is double formed around wood core
- Top can be placed on sets of legs or on top of existing flush work surfaces



UL360

Description (WxDxH inches)	Model Number	Weight (lbs.)
60x30x1½	<b>UL360</b>	84
72x30x1½	<b>UL372</b>	100

## Model XW

Stainless steel work stand

**Product Features:**

- All welded construction
- Stainless, premium polished shelves in durable 16-gauge
- 1-1/2" Stainless 16-gauge corner angles
- Pre-punched mounting pads
- All shelves flush
- Clearance between shelves - 20"
- Overall height - 30"



XW130

Description (WxDxH inches)	Model Number	Weight (lbs.)
24x18x30	<b>XW124</b>	32
30x18x30	<b>XW130</b>	36
36x24x30	<b>XW236</b>	50
48x24x30	<b>XW248</b>	62

## Model YG

Stainless steel work stand

**Product Features:**

- All welded construction
- Stainless, premium polished shelves in durable 16-gauge
- 1-1/2" Stainless 16-gauge corner angles
- Pre-punched mounting pads
- All shelves flush
- Clearance between shelves - 10"
- Overall height - 32"



YG136

Description (WxDxH inches)	Model Number	Weight (lbs.)
24x18x32	<b>YG124</b>	42
30x18x32	<b>YG130</b>	50
36x18x32	<b>YG136</b>	56

## Model YR

Stainless steel mobile work stands with 2 drawers

**Product Features:**

- All welded construction (except casters)
- Stainless, premium polished shelves in durable 16-gauge
- 16-gauge 1-1/2" stainless corner posts
- Lockable stainless drawers (4-1/4" h x 16" w x 16" d) with 2 keys (keyed alike)
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade
- Casters are 2 rigid and 2 swivel for superior tracking, available in steel rigs
- Top shelf - flush front lip with other 3 sides lips up
- Bottom shelf - 1-1/2" lips up
- Clearance between shelves - 18"
- Overall height - 35"

Additional options available, see page 85 for details.



YR136U500

Description (WxDxH inches)	5" Urethane Casters Steel Rig	Weight (lbs.)
36x18x35	<b>YR136U500</b>	96
36x24x35	<b>YR236U500</b>	106

## Model YW

Stainless steel mobile cabinet with 2 doors

**Product Features:**

- All welded construction (except casters)
- Stainless, premium polished shelves in durable 16-gauge
- 3 sided 16-gauge stainless wrap construction
- Lockable stainless doors (keyed alike with drawers) with 2 keys
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade
- Casters are 2 rigid and 2 swivel for superior tracking, available in stainless or steel rigs
- Top shelf - flush front lip with other 3 sides lips up
- Clearance between shelves - 24"
- Overall height - 34"

Additional options available, see page 85 for details.



YW236U500

Description (WxDxH inches)	5" Urethane Casters Steel Rig	5" Thermorubber Casters Steel Rig	# Shelves	Weight (lbs.)
36x18x34	<b>YW136U500</b>	<b>YW136S500</b>	0	108
36x24x34	<b>YW236U500</b>	<b>YW236S500</b>	0	124

## Model YZ

Stainless steel mobile cabinet with 2 doors and a middle shelf

**Product Features:**

- All welded construction (except casters)
- Stainless, premium polished shelves in durable 16-gauge
- 3 sided 16-gauge stainless wrap construction
- Lockable stainless doors (keyed alike) with 2 keys
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade
- Casters are 2 rigid and 2 swivel for superior tracking, available in stainless or steel rigs
- Top shelf - flush front lip with other 3 sides lips up
- Clearance between shelves - 11"
- Overall height - 34"

Additional options available, see page 85 for details.



YZ136U500

Description (WxDxH inches)	5" Urethane Casters Steel Rig	5" Urethane Casters Stainless Rig	# Shelves	Weight (lbs.)
36x18x34	<b>YZ136U500</b>	<b>YZ136S500</b>	1	122
36x24x34	<b>YZ236U500</b>	<b>YZ236S500</b>	1	140

## Model YV

Stainless steel mobile cabinet with 2 doors and 2 drawers

**Product Features:**

- All welded construction (except casters)
- Stainless, premium polished shelves in durable 16-gauge
- 3 sided 16-gauge stainless wrap construction
- Lockable stainless drawers (keyed alike) with 2 keys 4-1/4" h x 16" w x 16" d
- Lockable stainless doors (keyed alike with drawers) with 2 keys
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade
- Casters are 2 rigid and 2 swivel for superior tracking, available in stainless or steel rigs
- Top shelf - flush front lip with other 3 sides lips up
- Clearance between shelves - 18"
- Overall height - 34"



YV136U500

UP TO 1200 LBS.

Additional options available, see page 85 for details.

Description (WxDxH inches)	5" Urethane Casters Steel Rig	5" Urethane Casters Stainless Rig	# Shelves	Weight (lbs.)
36x18x34	YV136U500	YV136S500	0	146
36x24x34	YV236U500	YV236S500	0	162

## Model YX

Stainless steel mobile cabinet with 1 drawer, 1 door and 1 open shelf

**Product Features:**

- All welded construction (except casters)
- Stainless, premium polished shelves in durable 16-gauge
- 3 sided 16-gauge stainless wrap construction
- Lockable stainless door with 2 keys (keyed alike)
- Lockable stainless drawers (4-1/4" h x 16" w x 16" d) with 2 keys (keyed alike with door)
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade
- Casters are 2 rigid and 2 swivel for superior tracking, available in stainless or steel rigs
- Top shelf - flush front lip with other 3 sides lips up
- Clearance between shelves - 24"
- Clearance between drawer and shelf - 17"
- Overall height - 34"



YX136U500

UP TO 1200 LBS.

Additional options available, see page 85 for details.

Description (WxDxH inches)	5" Urethane Casters Steel Rig	5" Urethane Casters Stainless Rig	# Shelves	Weight (lbs.)
36x18x34	YX136U500	YX136S500	0	128
36x24x34	YX236U500	YX236S500	0	148

## Model YY

Stainless steel mobile cabinet with 4 drawers and 1 door

**Product Features:**

- All welded construction (except casters)
- Stainless, premium polished shelves in durable 16-gauge
- 3 sided 16-gauge stainless wrap construction
- Lockable stainless drawers (keyed alike) with 2 keys 4-1/4" h x 16" w x 16" d
- Lockable stainless doors (keyed alike with drawers) with 2 keys
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade
- Casters are 2 rigid and 2 swivel for superior tracking, available in stainless or steel rigs
- Top shelf - flush front lip with other 3 sides lips up
- All locks are keyed alike - call for other key options
- Clearance between shelves - 24"
- Overall height - 34"



YY236U500

UP TO 1200 LBS.

Additional options available, see page 85 for details.

Description (WxDxH inches)	5" Urethane Casters Steel Rig	5" Urethane Casters Stainless Rig	# Shelves	Weight (lbs.)
36x18x34	YY136U500	YY136S500	1	180
36x24x34	YY236U500	YY236S500	1	196

## Model ZE

*Stainless steel cart all lips up*

### Product Features:

- All welded construction (except casters)
- Stainless, premium polished shelves in 20-gauge with hemmed edges
- 16-gauge stainless corner angles and 14-gauge stainless caster mounts
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade
- Casters are all swivel, available in stainless or steel rigs
- Stainless tubular handle-standard welded
- 1-1/4" shelf lips - all lips up for retention
- Bumper guards on all 4 corners
- Clearance between shelves - 25"
- Overall height - 34"

**Additional options available, see page 85 for details.**



ZE130T403

Description (WxDxH inches)	4" Urethane Casters Steel Rig	4" Thermorubber Casters Steel Rig	Weight (lbs.)
16x24x34	<b>ZE124U403</b>	<b>ZE124T403</b>	34
16x30x34	<b>ZE130U403</b>	<b>ZE130T403</b>	36
22x36x34	<b>ZE236U403</b>	<b>ZE236T403</b>	44
22x48x34	<b>ZE248U403</b>	<b>ZE248T403</b>	50

## Model ZF

*Stainless steel cart 3 lips up; 1 side flush*

### Product Features:

- All welded construction (except casters)
- Stainless, premium polished shelves in 20-gauge with hemmed edges
- 16-gauge stainless corner angles and 14-gauge stainless caster mounts
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade
- Casters are all swivel, available in stainless or steel rigs
- Stainless tubular handle-standard welded
- 1-1/4" shelf lips - flush right side with other 3 sides lips up
- Bumper guards on all 4 corners
- Clearance between shelves - 25"
- Overall height - 34"

**Additional options available, see page 85 for details.**



ZF236T403

Description (WxDxH inches)	4" Urethane Casters Steel Rig	4" Thermorubber Casters Steel Rig	Weight (lbs.)
16x24x34	<b>ZF124U403</b>	<b>ZF124T403</b>	34
16x30x34	<b>ZF130U403</b>	<b>ZF130T403</b>	36
22x36x34	<b>ZF236U403</b>	<b>ZF236T403</b>	44
22x48x34	<b>ZF248U403</b>	<b>ZF248T403</b>	50



## Model ZH

3 shelf stainless steel cart all lips up

**Product Features:**

- All welded construction (except casters)
- Stainless, premium polished shelves in 20-gauge with hemmed edges
- 16-gauge stainless corner angles and 14-gauge stainless caster mounts
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade
- Casters are all swivel, available in stainless or steel rigs
- Stainless tubular handle-standard welded
- 1-1/4" shelf lips - all lips up for retention
- Bumper guards on all 4 corners
- Clearance between shelves - 11"
- Overall height - 34"

Additional options available, see page 85 for details.



UP TO 600 LBS.

Description (WxDxH inches)	4" Urethane Casters Steel Rig	4" Thermorubber Casters Steel Rig	Weight (lbs.)
16x24x34	ZH124U403	ZH124T403	38
16x30x34	ZH130U403	ZH130T403	42
22x36x34	ZH236U403	ZH236T403	54
22x48x34	ZH248U403	ZH248T403	64

ZH130T403

## Model ZJ

3 shelf stainless steel cart 3 lips up; 1 side flush

**Product Features:**

- All welded construction (except casters)
- Stainless, premium polished shelves in 20-gauge with hemmed edges
- 16-gauge stainless corner angles and 14-gauge stainless caster mounts
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade
- Casters are all swivel, available in stainless or steel rigs
- Stainless tubular handle-standard welded
- 1-1/4" shelf lips - flush right side with other 3 sides lips up
- Bumper guards on all 4 corners
- Clearance between shelves - 11"
- Overall height - 34"

Additional options available, see page 85 for details.



UP TO 600 LBS.

Description (WxDxH inches)	4" Urethane Casters Steel Rig	4" Thermorubber Casters Steel Rig	Weight (lbs.)
16x24x34	ZJ124U403	ZJ124T403	38
16x30x34	ZJ130U403	ZJ130T403	42
22x36x34	ZJ236U403	ZJ236T403	54
22x48x34	ZJ248U403	ZJ248T403	64

ZJ130T403

## Model ZL

Stainless steel linen cart with nylon cover

**Product Features:**

- All welded construction (except casters)
- Stainless, premium polished shelves in 20-gauge with hemmed edges
- 16-gauge stainless corner angles and 14-gauge stainless caster mounts
- Blue nylon cover, velcro closures, flame resistant and durable
- Shelves are flush for easy load and unload
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade
- Casters are all swivel, available in stainless or steel rigs
- Stainless tubular handle
- Bumper guards on all 4 corners
- Clearance between shelves - 12"
- Overall height - 47"

Additional options available, see page 85 for details.



ZL236T503

UP TO 600 LBS.

Description (WxDxH inches)	5" Urethane Casters Steel Rig	5" Thermorubber Casters Steel Rig	Weight (lbs.)
22x36x47	ZL236U503	ZL236T503	70
22x48x47	ZL248U503	ZL248T503	84

## Model ZX

Stainless steel 4 shelf supply cart all lips up

**Product Features:**

- All welded construction (except casters)
- Stainless, premium polished shelves in 20-gauge with hemmed edges
- 16-gauge stainless corner angles and 14-gauge stainless caster mounts
- 1-1/4" Lips up for retention
- Stainless caster mounts hold bolt on casters for easy replacement and upgrade
- Casters are all swivel, available in stainless or steel rigs
- Stainless tubular handle
- Bumper guards on all 4 corners
- Clearance between shelves - 12"
- Overall height - 48"

Additional options available, see page 85 for details.



ZX236T503

Description (WxDxH inches)	5" Urethane Casters Steel Rig	5" Thermorubber Casters Steel Rig	Weight (lbs.)
22x36x48	<b>ZX236U503</b>	<b>ZX236T503</b>	66
22x48x48	<b>ZX248U503</b>	<b>ZX248T503</b>	80

## Model XB

Stainless steel 2 shelf supply cart

**Product Features:**

- All welded construction (except casters)
- Stainless with premium polished shelves in durable 16-gauge
- 1-1/2" stainless corner angles, and stainless caster mounts
- Bolt on casters, 2 swivel and 2 rigid, for superior tracking
- Caster rigs available in steel or stainless for urethane wheels and steel only for pneumatic wheels
- Tubular handle with smooth radius bend
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 25"
- Overall height - 35", (39" with 8" casters)

Additional options available, see page 85 for details.



XB236U500

Description (WxDxH inches)	5" Urethane Casters Steel Rig	5" Urethane Casters Stainless Rig	Weight (lbs.)	8" Pneumatic Casters	Weight (lbs.)
18x24x35,39	<b>XB124U500</b>	<b>XB124S500</b>	52	<b>XB124N800</b>	76
18x30x35,39	<b>XB130U500</b>	<b>XB130S500</b>	56	<b>XB130N800</b>	80
18x36x35,39	<b>XB136U500</b>	<b>XB136S500</b>	60	<b>XB136N800</b>	84
24x36x35,39	<b>XB236U500</b>	<b>XB236S500</b>	70	<b>XB236N800</b>	94
24x48x35,39	<b>XB248U500</b>	<b>XB248S500</b>	82	<b>XB248N800</b>	106
30x48x35,39	<b>XB348U500</b>	<b>XB348S500</b>	94	<b>XB348N800</b>	118

Note: Pneumatic casters add 4" to height

## Model XA

Stainless steel 3 shelf supply cart

**Product Features:**

- All welded construction (except casters)
- Stainless with premium polished shelves in durable 16-gauge
- 1-1/2" stainless corner angles, and stainless caster mounts
- Bolt on casters, 2 swivel and 2 rigid, for superior tracking
- Caster rigs available in steel or stainless for urethane wheels and steel only for pneumatic wheels
- Tubular handle with smooth radius bend
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 11"
- Overall height - 35", (39" with 8" casters)

Additional options available, see page 85 for details.



XA236U500

Description (WxDxH inches)	5" Urethane Casters Steel Rig	5" Urethane Casters Stainless Rig	Weight (lbs.)	8" Pneumatic Casters	Weight (lbs.)
18x24x35,39	<b>XA124U500</b>	<b>XA124S500</b>	60	<b>XA124N800</b>	84
18x30x35,39	<b>XA130U500</b>	<b>XA130S500</b>	66	<b>XA130N800</b>	90
18x36x35,39	<b>XA136U500</b>	<b>XA136S500</b>	72	<b>XA136N800</b>	96
24x36x35,39	<b>XA236U500</b>	<b>XA236S500</b>	86	<b>XA236N800</b>	110
24x48x35,39	<b>XA248U500</b>	<b>XA248S500</b>	104	<b>XA248N800</b>	128
30x48x35,39	<b>XA348U500</b>	<b>XA348S500</b>	122	<b>XA348N800</b>	146

Note: Pneumatic casters add 4" to height

## Model XT

*Stainless steel 3 shelf supply cart with ergonomic handle*

**Product Features:**

- All welded construction (except casters)
- Stainless with premium polished shelves in durable 16-gauge
- 1-1/2" stainless corner angles, and stainless caster mounts
- Bolt on casters, 2 swivel and 2 rigid, for superior tracking
- Caster rigs available in steel
- Raised ergonomic handle
- 1-1/2" shelf lips up for retention
- Clearance between shelves - 11"
- Overall height (excluding handle) is 35"

**Additional options available, see page 85 for details.**



UP TO  
1200  
LBS.

XT236U500

Description (WxDxH inches)	5" Urethane Casters Steel Rig	Weight (lbs.)
18x24x35	<b>XT124U500</b>	60
18x36x35	<b>XT136U500</b>	76
24x36x35	<b>XT236U500</b>	88
30x48x35	<b>XT348U500</b>	124

## Model XK

*Stainless steel 2 shelf supply cart, 3 lips up; 1 side flush*

**Product Features:**

- All welded construction (except casters)
- Stainless with premium polished shelves in durable 16-gauge
- 1-1/2" stainless corner angles, and stainless caster mounts
- Bolt on casters, 2 swivel and 2 rigid, for superior tracking
- Caster rigs available in steel or stainless for urethane wheels
- Tubular handle with smooth radius bend
- 1-1/2" shelf lips up on 3 sides
- Clearance between shelves - 23"
- Overall height - 35"

**Additional options available, see page 85 for details.**



UP TO  
1200  
LBS.

XK236U500

Description (WxDxH inches)	5" Urethane Casters Steel Rig	5" Urethane Casters Stainless Rig	Weight (lbs.)
18x24x35	<b>XK124U500</b>	<b>XK124S500</b>	52
18x30x35	<b>XK130U500</b>	<b>XK130S500</b>	56
18x36x35	<b>XK136U500</b>	<b>XK136S500</b>	60
24x36x35	<b>XK236U500</b>	<b>XK236S500</b>	70
24x48x35	<b>XK248U500</b>	<b>XK248S500</b>	82
30x48x35	<b>XK348U500</b>	<b>XK348S500</b>	94

## Model XY

*Stainless steel 3 shelf supply cart, 3 lips up; 1 side flush*

**Product Features:**

- All welded construction (except casters)
- Stainless with premium polished shelves in durable 16-gauge
- 1-1/2" stainless corner angles, and stainless caster mounts
- Bolt on casters, 2 swivel and 2 rigid, for superior tracking
- Caster rigs available in steel or stainless
- Tubular handle with smooth radius bend
- 1-1/2" shelf lips up on 3 sides
- Clearance between shelves - 10"
- Overall height - 35"

**Additional options available, see page 85 for details.**



UP TO  
1200  
LBS.

XY236U500

Description (WxDxH inches)	5" Urethane Casters Steel Rig	5" Urethane Casters Stainless Rig	Weight (lbs.)
18x24x35	<b>XY124U500</b>	<b>XY124S500</b>	60
18x30x35	<b>XY130U500</b>	<b>XY130S500</b>	66
18x36x35	<b>XY136U500</b>	<b>XY136S500</b>	72
24x36x35	<b>XY236U500</b>	<b>XY236S500</b>	86
24x48x35	<b>XY248U500</b>	<b>XY248S500</b>	104
30x48x35	<b>XY348U500</b>	<b>XY348S500</b>	122

## Model XZ

Stainless steel 2 shelf supply cart with 3" deep lips

### Product Features:

- All welded construction (except casters)
- Stainless with premium polished shelves in durable 16-gauge
- 1-1/2" stainless corner angles, and stainless caster mounts
- Bolt on casters, 2 swivel and 2 rigid, for superior tracking
- Caster rigs available in steel or stainless for urethane wheels and steel only for semi pneumatic wheels
- Tubular handle with smooth radius bend
- Clearance between shelves - 22"
- Overall height -35", (39" with 8" casters)

Additional options available, see page 85 for details.



UP TO  
1200  
LBS.

XZ236U500

Description (WxDxH inches)	5" Urethane Casters Steel Rig	5" Urethane Casters Stainless Rig	Weight (lbs.)	8" Full Pneumatic Casters	Weight (lbs.)
18x30x35,39	<b>XZ130U500</b>	<b>XZ130S500</b>	50	<b>XZ130N800</b>	72
24x36x35,39	<b>XZ236U500</b>	<b>XZ236S500</b>	70	<b>XZ236N800</b>	92

Note: Pneumatic casters add 4" to height

## Model XL

Stainless steel low profile - raised offset handle cart

### Product Features:

- All welded construction (except casters)
- Stainless with premium polished shelves in durable 16-gauge
- 1-1/2" stainless corner angles, and stainless caster mounts
- Bolt on casters, 2 swivel and 2 rigid, for superior tracking
- Caster rigs available in steel or stainless
- Raised offset tubular handle with smooth radius bend for comfort and uniform appearance
- 1-1/2" shelf lips down (flush) for easy loading
- Bottom shelf has 1-1/2" shelf lips up for retention
- Clearance between shelves - 17"
- Overall height (excluding handle) is 27"

Additional options available, see page 85 for details.



UP TO  
1200  
LBS.

XL248U500

Description (WxDxH inches)	5" Urethane Casters Steel Rig	5" Urethane Casters Stainless Rig	Weight (lbs.)
24x36x27	<b>XL236U500</b>	<b>XL236S500</b>	70
24x48x27	<b>XL248U500</b>	<b>XL248S500</b>	82

## Model YB

Stainless steel transfer cart

### Product Features:

- All welded construction (except casters)
- Stainless with premium polished shelves in durable 16-gauge
- 1-1/2" stainless corner angles, and stainless caster mounts
- Bolt on casters, 2 swivel and 2 rigid, for superior tracking
- Caster rigs available in steel or stainless
- 1-1/2" shelves lips down (flush) for easy loading
- Clearance between shelves - 20"
- Overall height is 30"

Additional options available, see page 85 for details.



UP TO  
1200  
LBS.

YB248U500

Description (WxDxH inches)	5" Urethane Casters Steel Rig	5" Urethane Casters Stainless Rig	Weight (lbs.)
24x36x30,34	<b>YB236U500</b>	<b>YB236S500</b>	68
24x48x30,34	<b>YB248U500</b>	<b>YB248S500</b>	80
30x60x30,34	<b>YB360U500</b>	<b>YB360S500</b>	106

## Model YM

Heavy duty stainless steel transfer cart

**Product Features:**

- All welded construction (except casters)
- Stainless with premium polished shelves in durable 16-gauge
- 2" stainless corner angles, and stainless caster mounts with "twin caster hole pattern" to mount various sized casters
- Bolt on casters, 2 swivel and 2 rigid, for superior tracking
- Caster rigs available in steel or stainless
- 1-1/2" shelves lips down (flush) for easy loading
- Clearance between shelves - 20"
- Overall height is 31"

Additional options available, see page 85 for details.



YM248U600

UP TO  
1800  
LBS.

Description (WxDxH inches)	6" Urethane Casters Steel Rig	6" Urethane Casters Stainless Rig	Weight (lbs.)
24x36x31	YM236U600	YM236S600	90
24x48x31	YM248U600	YM248S600	102
30x60x31	YM360U600	YM360S600	128

## Model XP

Stainless steel platform truck

**Product Features:**

- All welded construction (except casters)
- Stainless with premium polished deck in durable 16-gauge
- Bolt on casters, 2 swivel and 2 rigid, for superior tracking
- Caster rigs available in steel or stainless for urethane wheels and steel only for semi pneumatic wheels
- Tubular handle with smooth radius bend for comfort and uniform appearance
- Platform height - 9"
- Handle height above deck - 30"

Additional options available, see page 85 for details.



XP236U500

UP TO  
1200  
LBS.

Description (WxDxH inches)	5" Urethane Casters Steel Rig	5" Urethane Casters Stainless Rig	Weight (lbs.)	8" Semi Pneumatic Casters	Weight (lbs.)
18x30x9	XP130U500	XP130S500	46	XP130Z800	70
18x36x9	XP136U500	XP136S500	48	XP136Z800	72
24x36x9	XP236U500	XP236S500	54	XP236Z800	78
24x48x9	XP248U500	XP248S500	60	XP248Z800	84
30x60x9	XP360U500	XP360S500	74	XP360Z800	98

Note: Pneumatic casters add 4" to height

### Mobile Stainless Work Stand, Cabinet, Cart & Truck Options:

Contact customer service for pricing information

- All swivel casters (4)
- Wheel brakes on the 2 swivel casters
- Front leg "L" bumpers

Options not available on all carts, trucks, cabinets or work stand. Please contact us for additional details.

## Casters Selection Guide:


The more uneven the rolling surface (including debris), the larger the wheel diameter should be. Hard casters are best for hard floors; softer casters for soft or rough floors. Generally, harder casters/wheels will roll easier than soft casters; larger diameter casters/wheels will roll easier and require less force than smaller ones. Optional floor locks and wheel brakes prevent runaway carts.

Standard Casters & Wheels	Description	Performance Indicators												
		Floor Surface			Floor Conditions			Other Factors to Consider						
<b>Phenolic</b>	For demanding applications, a budget-friendly option that offers high strength, is non-conductive, and resistant to oils or grease.	X	▣	■	X	X	X	■	X	X	X	X	■	■
<b>Polyurethane, Urethane</b>	Chemically bonded to a metal core, polyurethane wheels are more durable than other materials, deliver excellent mobility, a cushioned ride and long life when subjected to heavy loads.	■	▣	■	▣	▣	▣	▣	■	■	▣	■	■	▣
<b>Full Pneumatic, Semi Pneumatic</b>	Air-filled for excellent shock protection, floor protection and easy operation over rough surfaces.	■	X	■	■	X	X	▣	▣	■	■	■	▣	X
<b>Thermorubber</b>	Soft gray rubber wheel provides excellent floor protection and a cushioned ride while resisting chemicals, acids, oils and caustic substances.	■	▣	■	▣	■	▣	■	■	■	■	■	▣	▣
<b>Mold-On Rubber</b>	Designed for medium to heavy loads, these wheels with cushioned rubber tread are quiet and provide good floor protection.	■	X	■	▣	X	X	▣	▣	■	■	■	▣	▣

■ = Excellent   ▣ = Ok   X = Not Recommended

*A generous selection of caster and wheel options allows carts, trucks, wagons and mobile tables to be customized to fit your needs. Caster and wheel choices allow you to resolve problems of noise control, floor protection, impact and abrasion resistance or load capacity.*


## Casters for Stainless Steel Products:



Code	Size (in)	Bolt Hole Pattern (in)	Rig	Wheel Material	Bearing	Capacity (set of 4)	Brake Locks*
<b>U4</b>	4 x 1¼	1¾ x 3	Steel	Polyurethane	Ball	1,200 lbs.	05
<b>T4</b>	4 x 1¼	1¾ x 3	Steel	Thermorubber	Ball	800 lbs.	05
<b>S4</b>	4 x 1¼	1¾ x 3	Stainless	Polyurethane	Ball	1,200 lbs.	05
<b>U5</b>	5 x 1¼	1¾ x 3	Steel	Polyurethane	Ball	1,200 lbs.	05
<b>T5</b>	5 x 1¼	1¾ x 3	Steel	Thermorubber	Ball	800 lbs.	05
<b>S5</b>	5 x 1¼	1¾ x 3	Stainless	Polyurethane	Ball	1,200 lbs.	05
<b>U6</b>	6 x 2	3 x 3	Steel	Polyurethane	Roller	3,600 lbs.	05

\*Add 05 after the caster code for brake locks.

## Casters & Wheels for Steel Products:



Code	Size (in)	Bolt Hole Pattern (in)	Wheel Material	Bearing	Capacity (set of 4)	Floor Locks	Brake Locks*
U4	4 x 1 1/4	1 3/4 x 3	Polyurethane	Ball	1,200 lbs.	-	05
T5	5 x 1 1/4	1 3/4 x 3	Thermorubber	Ball	800 lbs.	-	05
U5	5 x 1 1/4	1 3/4 x 3	Polyurethane	Ball	1,200 lbs.	-	05
P7	5 x 2	3 x 3	Phenolic	Roller	4,000 lbs.	-	05
U7	5 x 2	3 x 3	Polyurethane	Roller	3,000 lbs.	-	05
P6	6 x 2	3 x 3	Phenolic	Roller	4,800 lbs.	-	05
R6	6 x 2	3 x 3	Mold-On Rubber	Roller	2,000 lbs.	-	05
U6	6 x 2	3 x 3	Polyurethane	Roller	3,600 lbs.	-	05
N8	8 x 3	3 x 3	Full Pneumatic	Roller	1,200 lbs.	-	05
Z8	8 x 3	3 x 3	Semi Pneumatic	Ball	2,000 lbs.	F8	05
P8	8 x 2	3 x 3	Phenolic	Roller	4,800 lbs.	F8	05
R8	8 x 2	3 x 3	Mold-On Rubber	Roller	2,400 lbs.	-	05
N2	12	-	Full Pneumatic	-	2,600 lbs.	-	-
P2	12	-	Phenolic	-	10,000 lbs.	-	-
N6	16	-	Full Pneumatic	-	2,500 lbs.	-	-



\*Add 05 after the caster code for brake locks.



### The Fine Print:

- Product Guarantee: Your Jamco product will be free from material and workmanship defects for a period of one year from the date of shipment and limited to product replacement (Safety Cabinets are ten years)
- Product Satisfaction Guarantee: Jamco provides a 30 day (from shipment date) return policy on standard products and standard model colors (excludes 36" wide Carts, Trucks and Platforms and same model over 6 units).
- All sizes in the Jamco Catalog and on the Jamco website are nominal, if you need exact sizes please contact customer service.
- Returns require a RETURN AUTHORIZATION NUMBER - include RGA # on shipping papers, palletize product, wrap and ship prepaid to Jamco - call dealer for RGA #. All returns are subject to restocking and damage charges.
- Our Prepay and Add Freight Program will handle claims as long as the ship to party inspects the goods and refuses damaged items from the freight carrier. On your specified carrier, we do not handle claims or accept charges for reclassifications, special delivery, or other charges. (Please inspect all received goods).
- All weight capacities are evenly distributed between shelves and over the full area of the shelf. Please contact customer service with concerns before ordering.
- Jamco Products Inc. reserves the right to make minor design changes without notice. If you require a product to be an exact match, contact customer service before ordering your product. Bins and accessories will be replaced with comparable items, but not necessarily the same color, size or design.

**Jamco's all welded construction is extra heavy duty for durability of products used to store or transport materials such as mobile and fixed workspaces, transporters and storage cabinets; and will outlast and outperform bolt-together and lighter gauge welded products many times over.**

*Our principle of operations is simply: To Offer the Best Quality - Today and Tomorrow.*

*All Jamco Products items are made in the USA.*

*Our commitment to Total Quality includes serving you better, faster, and longer so that Jamco is your best source for heavy duty, all welded:*

- *Steel Industrial Carts, Platforms, and Trucks – 12- and 14-gauge steel*
- *Stainless Steel Industrial Carts, Platforms, and Tables – 16- and 20-gauge stainless steel*
- *Steel Cabinets – safety, security, plastic bin, fire resistant, gas cylinder, and 14- and 12-gauge welded*
- *Stainless Steel Cabinets – wall mount and free standing in 18-gauge*
- *Steel Industrial Tables and Workbenches – up to 16,000 lbs. capacity, from 12-gauge to 1/4" thick tops*
- *Stainless Steel Industrial Workbenches – up to 1,500 lbs. capacity, 14- and 16-gauge stainless steel*

*Jamco Products is a Myers Industries, Inc. Company (NYSE: MYE). Founded in 1933 in Akron, Ohio, Myers Industries is a leading manufacturer of polymer products for material handling and a distributor of tire retread and repair products, serving growing markets from agricultural to medical and automotive to commercial. Visit [www.myersindustries.com](http://www.myersindustries.com) to learn more.*



[jamcoproducts.com](http://jamcoproducts.com)

One Jamco Ct., South Beloit, IL 61080

Phone: 815.687.7111 • Email: [sales@jamcoproducts.com](mailto:sales@jamcoproducts.com)

